

## The Maharashtra Fire Prevention and Life Safety Measures Act, 2006 Act 3 of 2007

Keyword(s): Building, Bye-Laws, Chief Fire Officer, Licensed Agency, Nominated Officer, Occupier

Amendment appended: 12 of 2015, 24 of 2023

DISCLAIMER: This document is being furnished to you for your information by PRS Legislative Research (PRS). The contents of this document have been obtained from sources PRS believes to be reliable. These contents have not been independently verified, and PRS makes no representation or warranty as to the accuracy, completeness or correctness. In some cases the Principal Act and/or Amendment Act may not be available. Principal Acts may or may not include subsequent amendments. For authoritative text, please contact the relevant state department concerned or refer to the latest government publication or the gazette notification. Any person using this material should take their own professional and legal advice before acting on any information contained in this document. PRS or any persons connected with it do not accept any liability arising from the use of this document. PRS or any persons connected with it shall not be in any way responsible for any loss, damage, or distress to any person on account of any action taken or not taken on the basis of this document.



### महाराष्ट्र शासन

#### असाधारण

प्राधिकृत प्रकाशन

सोमवार, फेब्रुवारी ५, २००७/माघ १६, शके १९२८

स्वतंत्र संकलन म्हणून फाईल करण्यासाठी या भागाला वेगळे पुष्ठ क्रमांक दिले आहेत.

### भाग आठ

महाराष्ट्र विधानमंडळाचे अधिनियम व राज्यपालांनी प्रख्यापित केलेले अध्यादेश व केलेले विनियम आणि विधी व न्याय विभागाकडून आलेली विधेयके (इंग्रजी अनुवाद).

In pursuance of clause (3) of Article 348 of the Constitution of India, the following translation in English of the Maharashtra Fire Prevention and Life Safety Measures Act, 2006 (Mah. HI of 2007), is hereby published under the authority of the Governor.

By order and in the name of the Governor of Maharashtra,

A. M. SHINDEKAR, Secretary to Government, Law and Judiciary Department.

#### MAHARASHTRA ACT No. III OF 2007.

(First published, after having received the assent of the President, in the "Maharashtra Government Gazette", on the 5th February 2007.

An Act to make more effective provisions for the fire prevention and life safety measures in various types of buildings in different areas in the State of Maharashtra.

WHEREAS it is expedient to make more effective provisions for the fire prevention and life safety measures in various types of buildings in different areas in the State of Maharashtra, for imposition of fee, constitution of a special fund and for the purposes connected therewith, or incidental thereto; it is hereby enacted in the Fifty-seventh Year of the Republic of India as follows:-

#### CHAPTER I

#### PRELIMINARY

1. (1) This Act may be called the Maharashtra Fire Prevention Short title, and Life Safety Measures Act, 2006.

(2) It extends to the whole of the State of Maharashtra.

extent and commencement.

[ **किंमत :** रुपये ९.०० ]

भाग आठ-७

- (3) It shall come into force—
- (a) in the areas of the local authorities and the planning authorities, on such date as the State Government may, by notification in the Official Gazette, appoint;
- (b) in other areas or part of the areas, on such date as the State Government may, by the same or like notification appoint; and different dates may be appointed for different provisions thereof and for different areas or part of the areas; and
- (c) any reference in the Act to the commencement of this Act shall, in relation to a provision or an area, be constructed as a reference to the coming into force of this Act or any provision thereof in that area.

Definitions.

- 2. In this Act, unless the context otherwise requires,-
- (1) the expression "building" shall have the same meaning assigned to it in the relevant municipal law or any law for the time being in force in the area in which this Act is in force; and includes places or premises comprising land or building, or part of a land or building, whether authorized or otherwise, outhouses, if any, appertaining to such building or part thereof and petrol, diesel or gas lines, installations or pumps.

Explanation.—For the purposes of this Act the definition of "building" herein shall extend and apply only to such building in respect of which fee is assessable and leviable as specified in the Schedule-II;

- (2) "building bye-laws" means the building bye-laws, rules or regulations made under any relevant municipal law and includes the development control rules or regulations, by whatever name they are called, or any other building rules or regulations made under any other law for the time being in force and are in operation in the area in which this Act is in force;
- (3) "Chief Fire Officer" means the Chief Fire Officer or any other fire officer by whatever designation called, in charge of the fire-brigade maintained by a local authority or a planning authority;
- (4) "Director" means the person appointed by the State Government to be the Director, Maharashtra Fire Services, Group A, under section 18;
- (5) the expression "fire prevention and life safety measures" means such measures as are necessary in accordance with the building bye-laws or as required by or under the provisions of any law or the National Building Code of India, 2005, for the time being in force, for the prevention, control and fighting of fire and for ensuring the safety, of life and property in case of fire;

- (6) "Licensed Agency" means a person or an association of persons licensed by the Director, or within the area under his jurisdiction, the Chief Fire Officer or the nominated officer, for undertaking or executing fire prevention and life safety measures or performing such other related activities required to be carried out under this Act within the area of the local authority or a planning authority;
- (7) "local authority" means a Municipal Corporation or a Municipal Council or a Nagar Panchayat or an Industrial Township constituted under any relevant municipal law for the time being in force in the State;
- (8) "National Building Code of India, 2005" means the book containing Fire Prevention and Life Safety Measures to be implemented in the buildings, places, premises, workshops, warehouses and industries, published by the Bureau of Indian Standards, from time to time, with or without amendments;
- (9) "nominated officer" means an officer possessing the prescribed qualifications and nominated by the Director or the Chief Fire Officer and includes an officer nominated by a local authority or a planning authority for the purposes of this Act:

Provided that, for the areas not covered by any Municipal Corporation or Municipal Council, the Director shall nominate an officer to be "a nominated officer", and different such officers may be nominated for different areas;

- (10) "Occupier" includes—
- (a) any person who for the time being is paying or is liable to pay to the owner the rent or any portion of the rent for the land or building or any part thereof in respect of which such rent is paid or is payable;
- (b) an owner in occupation of or otherwise using land or building or part thereof;
- (c) a rent-free tenant of any land or building or part thereof;
- (d) a licensee in occupation of any land or building or part thereof;
- (e) a member of a co-operative housing society or an apartment owner; and
- (f) any person who, or an association, corporation (whether incorporated or not) or an organisation which is liable to pay to the owner damages for the use and occupation of any land or building or part thereof;
- (11) "owner" includes a person who for the time being is receiving or is entitled to receive, the rent of any land or building or part thereof whether on his account or on account of himself and others or as an agent, a registered co-operative housing society, trustee, guardian or receiver or any other person

who should so receive the rent or be entitled to receive it if the land or building or part thereof were let to a tenant, or a builder, developer or promoter who constructs flats or apartment for sale under the provisions of the Maharashtra Ownership Flats (Regulation of the promotion of construction, Mah. sale, management and transfer) Act, 1963, or, as the case may XLV be, the Maharashtra Apartment Ownership Act, 1970;

1963. Mah. XV of 1971.

- (12) "planning authority" includes,—
- (a) the Nagpur Improvement Trust constituted under the Nagpur Improvement Trust Act, 1936;

Berar XXXVI οf 1936.

C.P. and

(b) a Special Planning Authority constituted or appointed or deemed to have been appointed under section 40 or the New Town Development Authority constituted or declared under the provisions of section 113 of the Maharashtra Regional and Town Planning Act, 1966;

XXXVII 1966.

(c) in respect of the slum rehabilitation area declared under Mah. section 3C of the Maharashtra Slum Areas (Improvement, Clearance and Redevelopment) Act, 1971, the Slum Rehabilitation Authority appointed under section 3A of the said Act;

XXVIII 1971.

- (13) "prescribed" means prescribed by rules;
- (14) "relevant municipal law" means,—
  - (a) the Mumbai Municipal Corporation Act;

Bom. III of 1888. Bom.

(b) the Bombay Provincial Municipal Corporations Act, 1949;

LIX οf 1949. C.P.

and

Mah. XL of

1965.

(c) the City of Nagpur Corporation Act, 1948;

Berar II of 1950.

- (d) the Maharashtra Municipal Councils, Nagar Panchayats and Industrial Townships Act, 1965;
- (15) "rules" means rules made under this Act;
- (16) "Schedule" means Schedule appended to this Act.

#### CHAPTER II

#### Provisions Relating to Fire Prevention and Life Safety Measures

3. (1) Without prejudice to the provisions of any law or the Owners or rules, regulations or bye-laws made thereunder or the National Building Code of India, 2005, relating to fire prevention and life safety measures and in operation in the State for the time being for fire in force, the owner or where the owner is not traceable, the occupier, of a building as classified in the Schedule-I or part of any such building shall provide fire prevention and life safety measures in such building or part thereof, minimum fire fighting installations as specified against such building in the said Schedule; and the owner or, as the case may be, the occupier shall maintain the fire prevention and life safety measures in good repair and efficient condition at all times, in accordance with the provisions of this Act or the rules:

occupiers' liability to provide prevention and life. safety measures.

Provided that, in the case of such building or part thereof the construction of which has been completed immediately before the date of commencement of this Act, the occupier, and subject to the provisions of sub-section (2), in the case of such building or part thereof which is under construction on such date, the owner, shall undertake and carry out such additional fire prevention and life safety measures, as are specified in the notice served on him under section 6.

Explanation.—The classification of buildings as mentioned in the Schedule-I under this section and that in Schedule-II under section 11, conforms to the classification of buildings made under the provisions of the National Building Code of India, 2005.

- (2) Notwithstanding anything contained in any law for the time being in force, no authority empowered to sanction the construction plan of any building or part of a building and to issue certificate of completion thereof, shall issue any certificate of completion or part completion thereof, unless it is satisfied that the owner has complied with the requirements specified in Schedule-I, or as the case may be, in the notice so served on him as aforesaid.
- (3) The owner or occupier, as the case may be, shall furnish to the Chief Fire Officer or the nominated officer, a certificate in the prescribed form issued by a Licensed Agency regarding the compliance of the fire prevention and life safety measures in his such building or part thereof, as required by or under the provisions of this Act, and shall also furnish to the Chief Fire Officer or a nominated officer, a certificate in the prescribed form, twice a year in the months of January and July regarding the maintenance of fire prevention and life safety measures in good repair and efficient condition as specified in sub-section (1).

(4) No person shall tamper with, alter, remove or cause any injury or damage to any fire prevention and life safety equipment installed in any such building or part thereof or instigate any other person to do so.

Preventive

- 4. (1) The State Government may, by notification in the Official measures. Gazette, require owner or occupier of premises in any area or of any class of premises used, which in its opinion, are likely to cause risk of fire, to take such precautions as may be specified. in such notification.
  - (2) Where such notification has been issued, it shall be lawful for the Director or Chief Fire Officer of local authority or planning authority or any fire officer authorized either by the Director or Chief Fire Officer to direct the removal of objects or goods likely to cause the risk of fire, to a place of safety and on failure by the owner or occupier to do so, the Director or any Chief Fire Officer or fire officer may, after giving the owner or occupier a reasonable opportunity of making the representation, seize, detain or remove such objects or goods.
  - (3) The Director or the Chief Fire Officer or any other fire officer while performing his duties in Fire Fighting operations or any other duties of seizure, detention or removal of any goods involving risk of fire may require the assistance of a police officer or members of the police force as an aid in performance of such duties and it will be the duty of police officer of all the ranks or such members to aid the Director or such fire officer in the execution of their duties under this Act.

5. (1) The Director or the Chief Fire Officer or the nominated inspection. officer may, after giving three hours' notice to the occupier, or if there is no occupier, to the owner of any place or building or part thereof, enter and inspect such place or building or part thereof at any time between sunrise and sunset where such inspection appears necessary for ascertaining the adequacy or contravention of fire prevention and life safety measures:

> Provided that, the Director or the Chief Fire Officer or the nominated officer may enter into and inspect any such place or building or part thereof at any time if an industry is working or an entertainment is going on at such place, building or part thereof, or if it appears to him to be expedient and necessary to do so in order to ensure safety of life and property.

- (2) The Director or the Chief Fire Officer or the nominated officer shall be provided with all possible assistance by the owner or occupier, as the case may be, of such place or building or part thereof for carrying out the inspection under sub-section (1).
- (3) The owner or occupier or any other person shall not obstruct or cause any obstruction to the entry of a person empowered or authorised under this section into or upon any land or building or shall not molest such person after such entry for inspection.

- (4) When any such place or building or part thereof used as a human dwelling is 'entered under sub-section (1) due regard shall be paid to the social and religious sentiments of the occupiers: and before any flat, apartment or a part of such building in the actual occupancy of any woman, who, according to the custom does not appear in public, is entered under sub-section (1), notice shall be given to her that she is at liberty to withdraw, and every reasonable facility shall be afforded to her for withdrawing.
- (5) Where the inspection is carried out by the nominated officer under the preceding provisions of this section, he shall give a report of any such inspection to the Director and the Chief Fire Officer of the authority concerned.
- 6. The Director or the Chief Fire Officer or the nominated Notice officer shall, after completion of the inspection of the place or regarding building or part thereof under section 5, record his views on the deviations from or the contraventions of, the requirements and life with regard to the fire prevention and life safety measures or the inadequacy or non-compliance of such measures provided or to be provided therein with reference to the height of the building or the nature of activities carried on in such place or building or part thereof and issue a notice to the owner or occupier of such building or part thereof directing him to undertake such measures within such time as may be specified in the notice.

prevention safety measures.

7. (1) Without prejudice to the prosecution for offence of non-Steps to be compliance of the notice issued under section 6, the Director taken in or the Chief Fire Officer may, in the event of non-compliance the event of non-compliance of nonof any such notice, take such steps including exercising the power compliance to have the place, building or any part thereof sealed under of notice. section 8, as may be necessary for the compliance of such notice.

- (2) All expenses incurred by the Director or the Chief Fire Officer in relation to any steps taken by him under sub-section (1) shall be payable on demand, by the owner or occupier on whom such notice is served, and shall, if not paid within fifteen days after such demand be recoverable, without prejudice to the provisions of sub-section (3) of section 20, as if it were the arrears of tax on property and the provisions under the relevant municipal law or any other law for the time being in force and is in operation within the area of jurisdiction of the local authority or planning authority concerned for recovery of arrears of tax on property, shall apply mutatis mutandis for such recovery as they apply to the recovery of arrears of tax on property or where any such law is not so in operation then, as an arrears of land revenue.
- 8. (1) If the Director or the Chief Fire Officer is satisfied Power to that due to inadequacy of fire prevention and life safety measures seal the condition of any place or building or part thereof is in imminent

danger to person or property, then notwithstanding anything contained in this Act, or any other law for the time being in force, he shall, by order in writing, require the persons in possession or in occupation of such place or building or part thereof to remove themselves forthwith from such place or building or part thereof.

- (2) If an order made by the Director or the Chief Fire Officer under sub-section (1) is not complied with, the Director or the Chief Fire Officer may direct,—
  - (a) the authority responsible for supply of electricity or the authority responsible for supply of water to disconnect the supply of electricity or water, as the case may be;
- (b) any police officer having jurisdiction in the area to remove such persons from such place or building or part thereof; and such authority or police officer shall comply with such direction;
- (3) After the removal of the persons under sub-section (1) or sub-section (2), as the case may be, the Director or the Chief Fire Officer shall cause such place or building or part thereof, to be sealed by such police officer forthwith.
- (4) No person shall remove such seal except under a written order made by the Director or the Chief Fire Officer suo motu or on an application of the owner or occupier.

#### CHAPTER III

#### LICENSED AGENCY

Power to grant licence to act as Licensed Agency

- **9.** (1) The Chief Fire Officer may grant any person or association of persons as he thinks fit, a licence to act as a Licensed Agency for the purposes of this Act.
- Agency apply to the Chief Fire Officer in the prescribed form and in the prescribed manner. Such application shall bear a court-fee stamp of five rupees and shall be accompanied by the prescribed fee.
  - (3) On receipt of such application, the Chief Fire Officer may, after holding such inquiry as he deems fit, either grant the licence in the prescribed form for a period of one year or renew the same for a like period or, for reasons to be recorded in writing, by order refuse to grant or renew the licence.
  - (4) Where the Chief Fire Officer has reason to believe that any person to whom a licence has been granted has contravened any provisions of this Act or of the rules or failed to comply with the conditions of the licence or is unfit by reason of incompetency, misconduct or any other grave reasons, the Chief Fire Officer may, after giving to the person a reasonable opportunity to show cause, for reasons to be recorded in writing, by order suspend or cancel the licence.
  - (5) The Director and the nominated officer may also exercise the powers under this section, within their respective jurisdiction.

10. (1) No person other than a Licensed Agency shall carry Licensed out the work of providing fire prevention and life safety measures Agency to or performing such other related activities required to be carried work of out in any place or building or part thereof:

Provided that, if the Chief Fire Officer is satisfied that, for prevention any reason, to be recorded in writing, the owner or occupier is not able to carry out the fire prevention and fire safety measures measures. in any such place or building or part thereof through a Licensed Agency, he may authorise any person or persons he thinks fit to carry out such work, and any work carried out by such authorized person or persons shall be deemed to be carried out by a Licensed Agency.

(2) No Licensed Agency or any other person claiming to be such Licensed Agency shall give a certificate under sub-section (3) of section 3 regarding the compliance of the fire prevention and life safety measures or maintenance thereof in good repair and efficient condition, without there being actual such compliance or maintenance.

#### CHAPTER IV

Provisions Relating To Levy, Collection And RECOVERY OF FIRE SERVICE FEES

11. (1) With effect from such date as the State Government Imposition of may, by notification in the Official Gazette, appoint in this behalf, fees; and and subject to the provisions of this Act, there shall be levied or reduction a Fire Service fee at the rates specified by or under the provisions thereof. of this Chapter, for the purposes of this Act on all owners of various types of buildings specified in the Schedule-II (hereinafter in this Chapter, referred to as "the said Schedule"), within the areas of a local authority or a planning authority (hereinafter, save as otherwise mentioned, throughout in this Act, collectively referred to as "the Authority"), to which this Act applies; and different such dates may be appointed for different types of buildings and different areas of different Authorities.

- (2) The rate of such fee in respect of each type of building situated within the area of any of the Authorities and classified in column 2 of each of the Part-I, Part-II or, as the case may be, Part-III of the said Schedule shall, in the first instance, be at the rate specified in each of the sub-column (1), but subject to the minimum fee specified in each of the sub-column (2), of columns 3, 4, 5, 6 and 7 of Part-I or of columns 3, 4, 5 and 6 of Part-II, or, as the case may be, of columns 3 and 4 of Part-III, as aforesaid.
- (3) The Authority may, subject to the other provisions of this Chapter, enhance, from time to time, the rate of fee, including the annual fee, and levy the fee at such enhanced rate:

providing fire

Provided that, the Authority may, subject to the other provisions of this Chapter, reduce, from time to time, such enhanced rate and levy fee at such reduced rate, so, however, that in no case the rate shall be reduced below the minimum rate specified in the said Schedule.

- (4) In determining the rate of fee to be enhanced or reduced under sub-section (3), the Authority shall take into consideration the balance available in the Fire Protection Fund constituted under section 25 and the estimated income and expenditure (including any capital expenditure) of the Fire Services and ensure that the expenditure incurred or to be incurred has reasonable correlation with the carrying out of the purposes of this Act.
- (5) The other matters relating to imposition (including guidelines), assessment and collection of such fee shall be such as may be prescribed.

Authority to follow preliminary procedure before enhancing or reducing enhanced fee.

- 12. (1) The Authority, before enhancing or reducing the enhanced rate and levying the fee at such rate shall observe the following preliminary procedure, namely:
  - (a) the Authority shall, by a resolution passed at a special meeting, approve the rate of fee at which it proposes to levy such fee;
  - (b) when such a resolution is passed, the Authority shall take further action to obtain the previous sanction of the State Government to the proposal.
- (2) The State Government may, by an order published in the Official Gazette, accord sanction to the said proposal of the Authority and specify in such order the date on or after which the proposal shall be brought into force.
- (3) (a) The Authority shall display on the notice board of its office the said order, and shall also publish a notice in a local newspaper informing the inhabitants of the area within its jurisdiction, of the subject matter of the order so displayed;
- (b) When the rates at which the fee is leviable are enhanced or reduced under sub-section (3) of section 11, it shall not be necessary to give any separate notice thereof to the owners or occupiers of the buildings affected thereby.

Imposition of enhancement

13. (1) There shall also be levied annually a further fee at annual fee the rate of one per cent. of the minimum fees specified in the respective columns of the Parts-I, II or, as the case may be, and reduction Part-III of the said Schedule against each type of building classified thereof. in column 2 of the said Parts of the said Schedule for providing the amount to defray the expenses for the purposes mentioned in sub-section (3) of section 25, and also for regular check and inspection, and other incidental expenses so as to require and cause the owner or occupier thereof to keep the necessary installations in fit condition.

- (2) The Authority may, subject to the other provisions of this Chapter, enhance or reduce, from time to time, the rate of annual fee and levy such enhanced or reduced fee.
- (3) In determining the rate of annual fee to be enhanced or reduced and the procedure to be followed in that regard, the provisions of sub-section (4) of section 11, sections 12 and 16 shall mutatis mutandis apply as they apply in respect of rate of initial fee and levy thereof.
- 14. (1) Any person who, after the commencement of this Act, Assessment intends to construct a building for which permission of the Authority and is required, whether he has applied for such permission or not, fees. or who has commenced construction of a building, shall apply to the Authority within such time and in such manner as may be prescribed, for the assessment of fees payable in respect thereof.

collection of

(2) The Authority shall, on such application being made or if no such application is made, by a person constructing a building, then after serving a notice in writing on the person liable to such payment and after calling for a report in this behalf from the concerned officer of the Authority and after taking into consideration the report aforesaid, determine whether or not and, if so, what fee is leviable in respect of that construction, and after giving the person concerned an opportunity to be heard, shall then assess the amount of fee payable by such person and give to such person a notice in writing of such assessment:

#### Provided that,—

- (a) where permission has not been granted for constructing a building, the Authority may postpone the assessment of the fee:
- (b) where the application relates to the construction of a building, the Authority may refuse to assess the amount of fee payable by such person concerned unless it is satisfied that the applicant has an interest in the land or building sufficient to enable him to carry out the construction or that the applicant is able to acquire such interest and that the applicant shall carry out the construction within such period as the Authority may determine.
- (3) (a) In case of every building the construction of which has been completed immediately before the date of coming into force of this Act, no fees shall be levied under this Chapter.
- (b) In the case of every building the construction of which has been completed on or after the date of coming into force of this Act, such fee, unless it has already been paid in accordance with the provisions of any law or building bye-laws or regulations in force immediately before the date appointed under sub-section (1) of section 11, shall be payable, by the owner and if the owner is not traceable by the occupier.

(4) The annual fee leviable under this Act shall be payable by the owner or occupier, in the case of the existing such building, from the date appointed under sub-section (1) of section 11, and in the case of such building the construction of which is completed after such date, from the date of occupancy certificate granted in respect of such building by the Authority, and in advance in half yearly installment or in the same manner in which property taxes are payable under the relevant municipal law, or as the case may be, any other law for the time being in force, within the area of jurisdiction of the Authority:

Provided that, the liability of the occupier to pay the fee under this sub-section shall be only to the extent of the fee payable in respect of built-up area under his occupation including his share in the area comprising common facilities in such building or part thereof.

Explanation.—For the purposes of assessment of fee under this Act, the built-up area shall be gross built-up area, which includes area of easements, stilts, stair-cases, lifts, lobbies, passages, balconies, cantilever portions and refuge areas as shown in the building plan certified by the Architect and submitted to the Authority alongwith the application for permission for construction of a building. The built-up area to be calculated for this purpose will have no relation with the floor space index or the built-up area calculated in any other manner.

- (5) The amount of fee as shown in the notice of assessment shall be paid within thirty days of the date of receipt thereof by such person as aforesaid and where the amount has not been so paid or has been partly paid, an interest at the rate of eighteen per cent. per annum upon any amount outstanding shall be payable from the date immediately following the date on which the period of thirty days as aforesaid expires till the date of payment of such amount.
- (6) The Authority shall, in regard to the area lying within its jurisdiction, collect all fees due under this Act in respect of construction of any building in that area.

Explanation.—For the removal of doubt, it is clarified that where the area of jurisdiction of any two or more Authorities overlaps, the Authority which is empowered by or under the provisions of the law under which it functions, to grant permission for construction of a building shall be the Authority for the purposes of this section.

(7) (a) The fee, together with interest, if any, payable in respect of any building shall, subject to the provisions of sub-section (8), be the first charge on such building and the land appurtenant thereto, subject to the prior payment of land revenue, if any, due to the Government thereon.

(b) The fee payable in respect of any building by any person shall, together with interest due upto the date of realization. be recoverable from the owner, or as the case may be, occupier or his successor in interest in such building, in the same manner in which property taxes are payable under the relevant municipal law, or as the case may be, any other law for the time being in force within the area of jurisdiction of the Authority:

Provided that, the liability of the occupier to pay the fee shall be only to the extent of the fee payable in respect of the builtup area under his occupation including his share in the area comprising common facilities in such building or part thereof.

(8) Notwithstanding anything contained in clause (11) of section 2 or sub-section (7) of this section, where a promoter as defined Mah. in clause (c) of section 2 of the Maharashtra Ownership Flats XLV (Regulation of the promotion of construction, sale, management and transfer) Act, 1963 (hereinafter, in this sub-section, referred to as "the said Act of 1963") has constructed or intends to construct any building consisting of flats or apartments, the liability to pay the fee (including annual fee) in respect of any such building and interest, if any, shall be that of such promoter; and any amount of such fee and interest remaining outstanding shall, without prejudice to any other mode of recovery thereof available against such promoter, be the first charge on any other property which he owns or in which he has a right, title or interest (in which case such charge shall be limited to the extent of his such right. title or interest), subject to the prior payment of land revenue, if any, due to Government thereon:

Provided that, the liability of the Promoter to pay such fee and interest, if any, shall extend to and be limited to the date of execution of the conveyance by the promoter under section 11 of the said Act of 1963.

15. No fee shall be levied on any building vested in or under Exemption. the control or possession of the Central or State Government or any Authority.

16. (1) Where it appears to the State Government that the Power of balance of the Fire Protection Fund of any Authority is insufficient State for meeting any expenditure required to be incurred for purchasing to require and maintaining fire fighting equipment and property and for Authority to maintenance thereof or for creating posts of officers, staff and enhance or servants for meeting the requirements to provide fire services enhanced or generally for performance of fire fighting operations; or that fee. such balance is more than the requirements for the purposes aforesaid, the State Government may, by notification in the Official Gazette, require the Authority to enhance the rate of fee or reduce the enhanced fee, if any, at such rate as may be specified

in the said notification, so, however that any reduction in rate shall not affect the minimum rates as specified in the relevant sub-columns in the said Schedule;

(2) After receipt of such requisition as aforesaid the Authority shall forthwith proceed to enhance or, as the case may be, reduce the enhanced fee in accordance with the requisition and the resolution of the Authority passed in that behalf and the rate of fee specified therein shall take effect from the date of resolution; and the provisions of sub-section (3) of section 12 shall mutatis mutandis apply for the publication of such resolution.

Assessment .

17. No assessment or no charge or demand of any fee including of fee not interest, if any, made under the authority of this Act shall be defect or invalid by reason of any clerical error or other defect of form, error, and when any property is described for the purpose of assessing any such fee, it shall be sufficient to describe it so that it shall be generally known, and it shall not be necessary to name the owner or occupier thereof.

#### CHAPTER V

#### DIRECTOR OF FIRE SERVICES

Appointment other officers Director.

- 18. (1) The State Government shall appoint a person to be of Director, the Director of Fire Services and such other officers and staff and staff to as may be necessary from time to time to assist the Director assist while exercising his powers or discharging his duties or functions under this Act or the rules made thereunder.
  - (2) The jurisdiction of the Director so appointed shall extend to the entire State in matters relating to fire services.
  - (3) Subject to the control, direction and supervision of the State Government, the Director shall exercise such powers and perform such duties as are conferred and imposed upon him by this Act or rules or orders made thereunder.

Powers and duties or functions of Director.

- 19. Without prejudice to the provisions of sub-section (3) of section 18, the Director shall,—
  - (i) function as Head of Department in the office of the Director;
  - (ii) keep liaison with the Central Government and State Government offices for the development of fire services;
  - (iii) frame the policies in relation to the development of fire services in the State and, on approval by the State Government, take steps to implement the same;
  - (iv) exercise supervision and control, over all Authorities in matters of fire prevention and fire safety measures; and subject to the approval of the State Government, issue such directions to any Authority in respect of fire services maintained or required to be maintained by them;

- (v) represent the State Government on National and International forums with a view to updating the standard of fire services in the State of Maharashtra:
- (vi) prepare and submit plans and proposals to the State Government with regard to the periodical review of fire equipment. fire property and fire manpower for effective implementation of fire services by the Authorities;
- (vii) take or cause to be taken such effective steps and measures in cases of major fires, house collapse and other emergencies or calamities:
- (viii) investigate or cause to be investigated the cause of fire and advise the Authorities for implementing fire precautionary measures:
- (ix) advise the State Government to set up additional Fire Training Center or Centers for imparting training to the officers and staff already employed in the Fire Brigades maintained by the Authorities as also to cater to the need of the various industries, commercial and mercantile establishments in the private sector and to train their officers or staff or to provide them the trained and qualified fire service personnel;
- (x) requisition fire-fighting property of any Authority or any institution or individual, which in his opinion is required for the purpose of extinguishing fire in any area; and to determine the amount of compensation payable in respect of such property by an authority in the area of which authority, such fire operation is required to be carried out;
- (xi) exercise such other powers and perform such other duties and functions as may be conferred, imposed or allotted to him by or under the provisions of this Act.
- 20. (1) When the Director is informed, on a complaint made Power of or otherwise that default has been made in the performance of Director to enforce any duty imposed on an Authority by or under this Act or by performance or under any enactment in relation to fire fighting measures of duties. or operations for the time being in force, the Director, if satisfied after due inquiry, that the alleged default has been made, may, by order, fix a period for the performance of that duty and communicate such order to the Authority.
- (2) If the duty is not performed within the period so fixed, the Director may appoint some person to perform it, and may direct that the expenses of performing it, with a reasonable remuneration to the person appointed to perform it, shall be ' forthwith paid by the Authority.
- (3) If the expense and remuneration are not so paid, the Director may make an order directing the bank in which any moneys

of the Authority are deposited or the person in charge of the local Government Treasury or of any other place of security in which the moneys of the Authority are deposited, to pay such expenses and remuneration from such moneys as may be standing to the credit of the Authority in such bank or may be in the hands of such person or as may, from time to time, be received from or on behalf of the Authority by way of deposit by such bank or person, and such bank or person shall be bound to obey such order. Every payment made pursuant to such order shall be a sufficient discharge to such bank or person from all liability to the Authority in respect of any sum or sums so paid by it or him out of the moneys of the Authority so deposited with such bank or person.

#### CHAPTER VI

PROVISIONS REGARDING FIRE OFFICERS AND FIRE PERSONNEL

Classification and creation fire services.

- 21. (1) For the purpose of providing adequate number of officers and staff for meeting the needs of fire services within the jurisdiction of the local authorities and planning authorities having regard of posts in to the potential fire hazards in certain industries and large commercial and mercantile establishments and buildings and the number of fire stations required to be provided for and maintained within the respective areas of the local authorities and the planning authorities, such Authorities shall be classified as under:-
  - (a) the Municipal Corporation of Brihan Mumbai;
  - (b) Municipal Corporations having minimum population above fifteen lakes to be classified as 'A' Class Municipal Corporations:
  - (c) Municipal Corporations having population of five lakhs and above upto fifteen lakhs, to be classified as 'B' Class Municipal Corporations;
  - (d) all other Municipal Corporations not covered by clauses (a), (b) or (c) to be classified as 'C' Class Municipal Corporations; and
  - (e) Municipal Councils, Nagar Panchayats, Industrial Townships and planning authorities to be classified as 'D' Class Municipal Councils, Nagar Panchayats, Industrial Townships and planning authorities.
  - (2) Subject to the directions, if any, as the Director may, with the approval of the State Government, by notification in the Official Gazette, issue from time to time, in this behalf, the existing pattern of the Fire Brigade including the qualification, pay, allowances and other conditions of service and method of recruitment of the officers and other staff engaged therein, in the Municipal Corporation of Brihan Mumbai shall continue.

- (3) The Municipal Corporations and the Municipal Councils, Nagar Panchayats, Industrial Townships and the planning authorities may, and, if so required by the State Government, shall create all or any of the following posts, namely:
  - (a) for Municipal Corporations of 'A', 'B' and 'C' Classes,—
    - (i) Chief Fire Officer,
    - (ii) Deputy Chief Fire Officer,
    - (iii) Divisional Fire Officer,
    - (iv) Assistant Divisional Fire Officer,
    - (v) Station Officer,
    - (vi) Assistant Station Officer.
    - (vii) Sub-Officer,
  - (viii) any other Fire Officer and Fire Personnel with such designations as the State Government may, by order, direct from time to time.
  - (b) for 'D' Class Municipal Councils, Nagar Panchayats, Industrial Townships and planning authorities,—
    - (i) Chief Fire Superintendent or Fire Superintendent,
    - (ii) Assistant Chief Fire Superintendent or Assistant Fire Superintendent.
      - (iii) Station Officer,
      - (iv) Assistant Station Officer,
      - (v) Sub-Officer,
    - (vi) any other Fire Officer and Fire Personnel with such designations as the State Government may, by order, direct from time to time.
- (4) Without prejudice to the provisions of sub-section (2) but, subject to the provisions of section 22, the qualification, pay, allowances and other conditions of service and method of recruitment of the officers specified in sub-sections (2) and (3) shall be regulated by orders issued by the State Government in this behalf.
- (5) Subject to the provisions of section 22 or any order issued by the Director or the State Government in this behalf, the power of making appointment to the posts specified in sub-sections (2) and (3) shall vest in the Municipal Corporation, Municipal Council, Nagar Panchayats, Industrial Townships or planning authority, as the case may be.
- 22. (1) If the State Government considers it necessary or expedient Constitution for the purpose of bringing about a more efficient Fire Service of of Officers of Municipal Corporations, Municipal Councils, Nagar Fire Services Panchayats, Industrial Townships and planning authorities with and uniform terms and conditions of service to carry out the functions provisions and duties by or under this Act, the State Government may, thereto. notwithstanding anything contained in this Act or any other law for the time being in force, by notification in the Official Gazette,-

- (a) constitute, in respect of all or any class or classes of Municipal Corporations, Municipal Councils, Nagar Panchayats, Industrial Townships or planning authorities as specified in subsections (2) and (3) of section 21, a fire service or services (to be called by such designations as may be specified in the notification) of,—
  - (i) Chief Fire Officers of such Authorities or any of them, and
  - (ii) all or any of the other officers, specified in sub-sections (2) and (3) of section 21;
- (b) direct from time to time that each such fire service shall consist of such classes, cadres and posts (including grades of posts) and the initial strength of officers in each such classes or cadres shall be such, as may be specified in the notification, and
- (c) further direct that the officers included in any such classes or cadres shall belong to such service of the State Government as may be specified in the notification.
- (2) The State Government may make rules for regulating the mode of recruitment by holding examinations or otherwise; including provisions for the absorption of person or persons already working under any of the Authorities in fire service or services constituted under this section or otherwise and providing for terminal benefits as compensation, pension or gratuity or the like, to persons who elect not to be absorbed or cannot be absorbed, or who elect to retire, and the conditions of service of persons appointed or absorbed, to such fire services and in respect of persons appointed or absorbed in such services constituted under this section, the provisions with regard to punishment of officers and servants applicable to them by virtue of the provisions made by or under any law for the time being in force and in operation within the area of jurisdiction of such Authority under which such persons are serving on the date of such appointment or absorption, shall cease to apply:

Provided that, such cessor shall not, in relation to absorbed officers, affect the previous operation of such provisions in respect of anything done or omitted to be done before such absorption:

Provided further that, the terms and conditions of service applicable immediately before the appointed day to any officer shall not be varied to his disadvantage, except with the previous approval of the State Government.

(3) Except as otherwise provided in any rules made under subsection (2), all rules, regulations or orders as amended from time to time and for the time being in force in the State and applicable to officers in the relevant class of service of the State Government

shall continue to apply to officers appointed to, or absorbed in, any such service and shall be deemed to be rules, regulations or orders made under this Act, until other rules, regulations or orders, if any, are made in this behalf or subject to such modifications, as the State Government may, from time to time, by notification in the Official Gazette, and in any other prescribed manner make.

- (4) Notwithstanding anything contained in sub-section (5) of section 21, the power of making appointments of officers to any such fire service under this section including promotions, transfers and all matters relating to any conditions of service shall vest in the State Government or the Director when duly authorized by the State Government for that purpose.
- (5) The officers included in any fire service constituted under this section shall be the servants of the State Government; but they shall draw their salaries and allowances directly from the municipal fund or the fund of the planning authority.
- (6) There shall be paid every year out of the municipal or planning authority fund to the State Government such cost as the State Government may determine on account of pension, leave and allowances, other than those drawn from the municipal fund or the fund of the planning authority under sub-section (5), of the officers belonging to any of the fire services constituted under this section and all the expenses incurred by the State Government for administering the fire service or services constituted under this section. If any such Municipal or planning authority fails to pay such cost and expenses (or the salaries and allowances of such officers) within the period prescribed in this behalf, then the provisions of sub-section (3) of section 20 shall apply to the payment of such cost and expenses (or the salaries and allowances of such officers) as they apply in relation to the payment of the expense and remuneration not paid under that section.
- 23. The Authority may create posts of other clerical staff and Appointment servants and appoint persons thereto for carrying out day to day of other staff activities and maintenance of records in the office of the Fire Brigade, in the same manner as they are created and appointed by or under the provisions of the law for the time being in force and applicable to such Authority.

24. Save as otherwise provided by or under this Act, every Continuation person holding office either as a Chief Fire Officer or Fire Officer of existing or Staff or employee or servant (by whatever designation called) on an existing Fire Brigade or fire service of any Authority on the date immediately before the commencement of this Act shall continue to hold office on the same terms and conditions as were applicable to him immediately before such date and shall exercise such powers and perform such duties as before and in addition to those as are conferred on them by or under this Act.

#### CHAPTER VII

#### CONSTITUTION OF SPECIAL FUND

Constitution

- 25. (1) There shall be constituted a special fund called the of special "Fire Protection Fund" to which shall be credited the fees imposed and collected under this Act.
  - (2) The special fund shall be reflected into the budget estimate of the respective Authority and the Accounts in respect thereof shall be maintained and audited in accordance with the procedure prescribed for the purpose of maintenance of accounts in the relevant law or the rules and orders made thereunder and are applicable to the respective Authority.
  - (3) The amounts in the fund shall subject to the provisions of this Act and subject to the general or special order of the State Government, be applied for the purpose of maintaining Fire Brigade in general (which shall also include the expenditure on salaries, allowances and other incidental expenses on the Fire Officers and Staff) and for providing sophisticated equipments and appliances, in particular, for the purpose of preventing and extinguishing fire on any land or in any building within or without the limits of the Authority and to no purpose other than the purposes mentioned in this Act.

#### CHAPTER VIII

#### SUPPLEMENTAL AND MISCELLANEOUS

Requisitioning Fighting property.

- **26.** (1) Where the Director or the Chief Fire Officer or any of Fire other Fire Officer of any Authority, who is incharge of a fire fighting operation requires fire fighting equipment or property of any other Authority or any institution or individual, he may by order requisition such equipment or property for the purpose of extinguishing fire in any area and take possession thereof from the Authority or any institution or individual, as the case may be.
  - (2) As soon as may be, after the fire fighting operations are over, such officer shall release the equipment or property, taken possession of under sub-section (1) from requisition and restore the same to the Authority, institution or individual from whose possession such property was taken.
  - (3) Where any fire fighting equipment or property is requisitioned under sub-section (1), there shall be paid to the owner of such property, compensation the amount of which shall be determined in accordance with the principles hereinafter set out, that is to say,---
    - (a) where the amount of compensation can be fixed by agreement between the Director or, as the case may be, the Chief Fire Officer and the owner of the fire fighting property, it shall be paid in accordance with such agreement;

- (b) where no such agreement can be reached, the Director or, as the case may be, the Chief Fire Officer shall refer the matter to the Magistrate having jurisdiction over the area in which the fire fighting equipment or property was kept and the Magistrate shall, after hearing the parties and such other persons as he deems necessary, fix the amount of compensation taking into consideration the rent which the fire fighting equipment or property would normally fetch if rented out for a similar purpose. The orders of the Magistrate fixing the amount of compensation shall be final.
- 27. (1) On the occasion of fire in any area, the Director or Powers of the Chief Fire Officer or any other Fire Officer who is incharge of fire fighting operations on the spot may,-

Fire Officer on occasion of fire.

- (a) remove, or order any other fire officer or fire personnel to remove, any person who by his presence, interferes with or impedes the operations for extinguishing the fire or for saving life or property;
- (b) close any street or passage in or near which fire is burning;
- (c) break into or through, or pull down, any premises, for the passage of hose or appliances or cause them to be broken into or through, or pulled down, doing as little damage as possible for the purpose of extinguishing fire:

Provided that, the owner or occupier, as the case may be, of any such premises shall be granted reasonable compensation to the extent of the damage so caused in such manner as may be prescribed:

- (d) require the authority incharge of water supply in the area, to regulate the water mains so as to provide water at a specified pressure at the place where the fire has broken out and utilize the water of any stream, cistern, well or tank or of any available source of water, public or private, for the purpose of extinguishing or limiting the spread of such fire;
- (e) exercise, in the absence of aid from the police, the same powers for dispersing an assembly of persons likely to obstruct the fire-fighting operations as if he were an officer-in-charge of a police station and as if such an assembly were an unlawful assembly and be entitled to the same immunities and protection as such officer, in respect of the exercise of such powers;
- (f) generally take such measures as may appear necessary for extinguishing the fire or for the protection of life or property.
- (2) Any damage done to any premises or property, on the occasion of fire, by members of the service in the due discharge of their duties shall be deemed to be damage by fire within the meaning of any policy of insurance against fire.

Power of the for supply of

28. It shall be lawful for the officer-in-charge of the fire-fighting charge of operations to draw water from any source in the area which fire fighting he considers necessary for such operations and on such occasions arrangements as may be required and the authority or owner or occupier having water control over such water source shall supply water for that purpose at such rates as may be prescribed.

29. Notwithstanding anything contained in section 26, the Director Director or or the Chief Fire Officer of any Authority or any other Fire Chief Fire Officer authorized by the Authority, may enter into agreements Fire Officer with any person who employs and maintains personnel or equipment to enter or both for fire-fighting purposes, to secure, on such terms as into may be prescribed, the provisions by that person of assistance agreements for the purpose of dealing with fires occurring in any area in assistance. which this Act is in force.

Training

30. The State Government may establish and maintain one Centres. or more training centres in the State for providing courses of instruction in the prevention and extinguishment of fire and may close down or re-establish any such centre.

Levy of training

31. The State Government may prescribe such fee and such procedure as it may deem fit for providing a course of instruction in the prevention and extinguishment of fire.

- **32.** (1) Any person aggrieved by—
  - (a) the notice issued under section 6, or
- (b) the refusal of the Director or Chief Fire Officer to pass an order under sub-section (4) of section 8, or
- (c) the notice of assessment under sub-section (2) or (4) of section 14:

may prefer an appeal to such an officer as the State Government may, by notification in the Official Gazette, designate in this behalf, being an officer not below the rank of Director, and may, by the same notification or by a like notification designate one or more such officers and assign to them the areas or part of the areas of the local authorities or planning authorities over which each of such officers shall exercise his jurisdiction.

- (2) Such appeal shall be made in such manner and accompanied by such fee, as may be prescribed.
- (3) (a) The officer so designated may, after giving a reasonable opportunity to the appellant and the Authority, of being heard, by an order confirm, reduce, enhance or annul the assessment of fee.
- (b) Where the assessment is annulled or set aside in an appeal, such officer deciding the appeal may direct the Authority to make a fresh assessment after such further enquiry as may be directed.
- (4) Every order passed in appeal under this section shall be final and conclusive.

33. No appeal under section 32 shall be entertained unless,— Procedure

(a) the appeal—

appeal.

- (i) under clause (a) or (b) of sub-section (1) of section 32 is brought within fifteen days from the date of service of notice or the date on which the refusal is communicated to the appellant;
- (ii) under clause (c) of sub-section (1) of section 32 is brought within forty-five days after the receipt of notice of the assessment:

Provided that, the Officer so designated may admit an appeal preferred after the expiration of the fifteen days or, as the case may be, forty-five days as aforesaid if, such officer is satisfied that the appellant had sufficient cause for not preferring the appeal within the said period,

- (b) the full amount claimed in the notice of assessment from the appellant together with the amount of interest, if any, due thereon till the date of preferring an appeal, has been deposited by him in the office of the Authority.
- 34. If as a result of an order passed in appeal under section Interest on 32, the assessment is enhanced and any amount of difference amount of is required to be recovered from the appellant or any amount enhanced assessment from out of the amount paid under clause (b) of section 33 is or refund. required to be refunded to the appellant, an interest at the rate of eighteen per cent. per annum shall be payable,—

- (a) in the case of amount to be so recovered, from the date of receipt of notice of original assessment till the date of recovery thereof;
- (b) in the case of amount to be so refunded, from the date on which the amount was paid under clause (b) of section 33 till the date of refund thereof.
- 35. No court shall entertain any suit, application or other Bar of proceeding in respect of any notice under section 6 or any action jurisdiction taken under section 8 or order of refusal to permit removal of courts. of seal passed under sub-section (4) of section 8 of this Act or notice of assessment under sub-section (2) or (4) of section 14; and no such notice or action or order shall be called in question otherwise than by preferring an appeal as provided by this Act.

**36.** (1) Whoever contravenes any provision of any of the following Offences sections, namely:---

and penalties.

- (a) under section 3,—
- (i) sub-section (1), failure of the owner or, as the case may be, the occupier to provide and maintain the fire prevention and life safety equipment in good repair and efficient condition:
- (ii) sub-section (4), tampering with, altering, removing or causing any injury or damage to any fire prevention and life safety equipment installed in a building or instigating any other person to do so;

- (b) under section 4, sub-section (2), failure to remove objects or goods likely to cause the risk of fire;
- (c) under section 5, sub-section (3), obstructing the entry by a person or molesting such person after such entry for inspection;
- (d) under section 6, failure to comply with the notice, directing the owner or occupier to undertake measures regarding fire prevention and life safety;
  - (e) under section 8,—
- (i) sub-section (2), failure to comply with the direction issued by the Director or the Chief Fire Officer, as the case may be,
- (ii) sub-section (4), removing the seal of the building without written order made by the Director or the Chief Fire Officer;
  - (f) under section 10, sub-section (1),—
  - (i) carrying out the work of providing fire prevention and life safety measures, or performing such other related activities by a person other than the Licensed Agency;
  - (ii) giving a certificate under sub-section (3) of section 3 without there being actual compliance or maintenance of fire prevention and life safety measures and equipment;
- (g) under section 14, sub-sections (1) and (2), construction of a building without applying for permission of the Authority or without such permission and thereby avoiding to apply for assessment of fee payable under this Act;

shall, without prejudice to any other action taken or which may be taken under any of the provisions of this Act, be punished with rigorous imprisonment for a term which shall not be less than six months but which may extend to three years and with fine which shall not be less than rupees 20,000 but which may extend to rupees 50,000; and where the offence is continuing one with a further fine which may extend to rupees 3000 for every day during which such offence continues after the conviction for the first such offence:

Provided that, in the absence of any special and adequate reasons to the contrary to be mentioned in the judgement of the court, such punishment shall not be less than three months and such fine shall not be less than ten thousand rupees or such daily fine shall not be less than one thousand rupees per day for a continuing offence.

Explanation.—The expressions used in clauses (a) to (g) are not intended as the definitions of offences described in the sections mentioned in each of these clauses or even as abstracts of those sections but are mentioned merely as references to the subject matter of the offences under those sections.

#### (2) Whoever—

- (a) willingly attempts, in any manner whatsoever, to evade any fee leviable under this Act, or
- (b) willingly attempts, in any manner whatsoever, any payment of any fee or interest or both under this Act, or

- (c) contravenes any of the provisions of this Act or the rules for which no specific penalty has been provided by this Act,
- (d) fails to comply with the requirements of any order or any notice or any directions issued under any of the provisions of this Act or the rules by the Director or any Authority or the Chief Fire Officer of such Authority or any other officer authorised by any of them, for which no specific penalty has been provided by this Act,

shall, on conviction, be punished,—

- (i) in case where the amount of fees or interest or both involved exceeds rupees 50,000 during the period of a year, with rigorous imprisonment for a term which shall not be less than six months but which may extend to three years and with fine:
- (ii) in case where such amount is less than rupees 50,000 during a year, with rigorous imprisonment for a term which shall not be less than three months but which may extend to one year and with fine;
- (iii) in case of contravention of any provision of this Act or the rules made thereunder or failure to comply with the requirements of any order or notice as aforesaid, with rigorous imprisonment for a term which shall not be less than six months but which may extend to three years and with fine:

Provided that, in the absence of any special and adequate reasons to the contrary to be mentioned in the judgement of the court, punishment under any of these paragraphs shall not be less than one month and such fine shall not be less than two thousand rupees.

(3) Whoever aids or abets any person in commission of any offence specified in sub-section (1) or (2) shall, if the act is committed in consequence of the abetment, and no express provision is made by this Act for the punishment of such abetment, be punished with the punishment provided for the offence.

Explanation.—An act or offence is said to be committed in consequence of abetment, when it is committed in consequence of the instigation, or in pursuance of the conspiracy, or with the aid which constitutes the abetment.

37. Offences under sub-section (4) of section 3 and of removal Cognizable of seal without an order under sub-section (4) of section 8 shall be cognizable and non-bailable.

and nonbailable offences.

38. (1) Where an offence under this Act has been committed Offences by by a company every person who, at the time the offence was committed, was in charge of, and was responsible to, the company for the conduct of the business of the company, as well as the

companies.

company, shall be deemed to be guilty of the offence and shall be liable to be proceeded against and punished accordingly:

Provided that, nothing contained in this sub-section shall render any such person liable to any punishment if he proves that the offence was committed without his knowledge or that he had exercised all due diligence to prevent the commission of such offence.

(2) Notwithstanding anything contained in sub-section (1), where any offence under this Act has been committed by a company and it is proved that the offence has been committed with the consent or connivance of, or is attributable to any neglect on the part of any director, manager, secretary or other officer of the company, such director, manager, secretary or other officer shall also be deemed to be guilty of that offence and shall be liable to be proceeded against and punished accordingly.

Explanation.—For the purposes of this section,—

- (a) "company" means a body corporate and includes a firm or other association of individuals; and
- (b) "director", in relation to a firm, means a partner in the firm, and in relation to any association of persons or body of individuals, means any member controlling the affairs thereof.

Compounding withdrawal

- 39. (1) The Director or Chief Executive Officer of the Authority, by whatever designation called, or any person authorised in this of behalf by any of them by general or special order may either proceedings, before or after the institution of the proceedings, compound any offence, excluding those referred to in section 37, made punishable by or under this Act or the rules or withdraw from such proceedings.
  - (2) When an offence has been compounded, the offender, if in custody, shall be discharged, and no further proceedings shall be taken against him in respect of the offence compounded.

Cognizance of offence.

40. Save in the case of cognizable offences, no court shall take cognizance of an offence under this Act or the rules except on the complaint of, or upon information received from, the Director or the Chief Fire Officer or any other officer authorised by any of them in this behalf.

Jurisdiction.

41. No court inferior to that of a Metropolitan Magistrate or Judicial Magistrate First Class, shall try an offence punishable under this Act or the rules.

Protection of action taken in good faith.

42. No suit, prosecution or other legal proceedings shall lie against any person for anything which is in good faith done or intended to be done under this Act or the rules.

Officers, etc., to be public servants.

43. Every officer or servant acting under the provisions of this Act or the rules shall be deemed to be a public servant within the meaning of section 21 of the Indian Penal Code.

1860.

44. (1) The provisions of this Act and the rules shall have Act to have effect notwithstanding anything inconsistent therewith contained in any other law for the time being in force or in any instrument having effect by virtue of any other law.

overriding effect. but shall be in addition to exisiting laws.

- (2) Subject to the provisions of sub-section (1), the provisions of this Act shall be in addition to, and not, save as expressly provided hereinabove, be in derogation of the provisions of any relevant municipal law or any other law for the time being in force in any area in which this Act has come into force.
- 45. (1) There shall be appointed by every owner or occupier, Appointment a fire officer or fire supervisor for every building of the following of fire officer description, namely:

supervisor in certain buildings.

Building with height more than 30 metres and used for,-

- (1) hotel.
- (2) hospital,
- (3) business.
- (4) mercantile.
- (5) mixed occupancy of whatever kind or purposes.
- (2) The qualifications and duties of such fire officer or fire supervisor shall be such as the Director may, with the approval of the State Government, by order in the Official Gazette, specify.
- 46. Notwithstanding anything contained in any other law for Effect of the time being in force, when anything in relation to the fire other laws. prevention and life safety measures is required to be done or approved under this Act, any such thing shall not be deemed to have been lawfully done or approved by reason only of the fact that permission, approval or sanction required under such other law therefor has been obtained.

47. (1) The State Government may, by notification in the Official Power to Gazette, delegate any power (except the power of making rules) exercisable by it under this Act or rules made thereunder to the Director in such case and subject to such conditions, if any, as may be specified in such notification.

- (2) The Director may, by an order in writing, delegate any power exercisable by him under this Act or rules made thereunder to any officer of the State Government subordinate to him or the Chief Officer of an Authority (by whatever designation called) or the Chief Fire Officer of any Authority in such case and subject to such conditions, if any, as may be specified in such order.
- 48. Every Authority or the Chief Fire Officer when specifically Power to authorised by the Authority in this behalf, shall furnish to the Director such reports, returns and other information as the Director return or may, from time to time, require. भाग आठ--१०अ

information.

#### CHAPTER IX

#### RILES

Power to make rules.

- 49. (1) The State Government may, by notification in the *Official Gazette*, and subject to the condition of previous publication, make rules for carrying out the purposes of this Act.
- (2) In particular and without prejudice to the generality of the foregoing power, such rules may provide for—
  - (a) the minimum standards for fire prevention and fire safety measures;
  - (b) eligibility and the procedure for granting, renewing or refusing licence to act as Licensed Agency under section 9;
  - (c) the form in which an appeal shall be made and the fees which shall accompany such appeal under section 32;
  - (d) procedure to be followed at the hearing and disposal of appeal under section 32;
  - (e) any other matter which may be or is required to be provided by rules.
- (3) Every rule made under this section shall be laid, as soon as may be, after it is made, before each House of the State Legislature while it is in session for a total period of thirty days which may be comprised in one session or in two or more successive sessions and if, before the expiry of the session in which it is so laid or the session immediately following, both Houses agree in making any modification in the rule or both Houses agree that the rule should not be made, and notify such decision in the Official Gazette, the rule shall, from the date of publication of such decision in the Official Gazette, have effect only in such modified form or be of no effect, as the case may be; so, however, that any such modification or annulment shall be without prejudice to the validity of anything previously done or omitted to be done under that rule.

Power to remove difficulty. **50.** (1) If any difficulty arises in giving effect to the provisions of this Act, the State Government may, as occasion requires, by order do anything not inconsistent with the objects and purposes of this Act, which appears to it to be necessary or expedient for the purpose of removing the difficulty:

Provided that, no order shall be made under this section after the expiry of two years from the date of coming into force of this Act.

(2) Every order made under sub-section (1) shall be laid, as soon as may be, after it is made, before each House of the State Legislature.

# SCHEDULE - 1 See section 3(1) Minimum Requirements for Fire Fighting Installations

Sr.	Type of Building				<del>-</del>		I 4 - F	-tion		·	10/-4-			· · · · · · · · · · · · · · · · · · ·
No.	Occupancy				. 1	ype of	ınstaı	анон				r Supply		Capacity
NO.		Fire Exting- Bisher	Hose Real	Dry Riser	Wel Riser	Down Comer	Yard Hydrani	Automatic Sprinkler System	Manually Operated Electric Fire Alarm System	Automatic Detection and Alarm System	Under- ground Static Water Storage	Itres) Terrace Tank	Pump Near Underground Slatic Water Storage Tank (Fire Pump)	At the Tank Level with Minimum Pressure of 0.3 N/mm2
	,			-							Tank		with Minimum Pressure of 0.3 N/mm2 at Terrace Level	
	RESIDENTIAL BUILDINGS (A)													
(a)	Lodging or Rooming Houses (A-1) (see Note 1)					,								
(1)	Less than 15 m in height										,			
	(i) Up to 15 rooms	R	NR	NR	NR	NR	NR	R (see Note 2)	NR :	NR	NR	5000 (see Note 3)	NR	NR
	(ii) More than 15 and up to 30 rooms	R	R	NR	NR	NR	NR	R (see Note 2)	NR	NR	NR.,	5000 (10000) (see Note 4)	NR	900 (450) (see Note 4)
	(iii) More than 30 rooms	1. R	R	NR .	NR	NR ,	NR	(see Note 2)	R	NR	NR	(15000) (15000) (see Note 4)	NR	900
(b)	One or two Family Private Dwellings (A- 2) (see Note 1) Dormitories (A-3)													
	Apartment Houses (A-4) (see Note 6)													
(1)	Less than 15 m in height	R	R	NR	NR	NR	NR	R (see Note 2)	NR	NR	NR .	5000 (10000) (see-note 4)	NR	450
		<u> </u>			<u> </u>			·	<u> </u>					<u> </u>

Sr. No.	Type of Building Occupancy			•	T	ype of	Instal	ation				r Supply litres)	(in li	Capacity tres)
		Fire Exting- ursher	Hose Reel	Dry Riser	Wel Riser	Down Corner	Yard Hydrant	Automatic Sprinkler System	Manually Operated Electric Fire Alarm System	Automatic Detection and Alarm System	Under- ground Static Water Storage Tank	Terrace Tank	Pump Near Underground Static Water Storage Tank (Fire Pump) with Minimum Pressure of 0.3 N/mm2 at Terrace Level	At the Tank Level with Minimum Pressure of 0.3 N/mm2
(2)	15m and above but not exceeding 35m in height	R	R	NR	NR	R	NR	R (see Note 2)	R (see Note 7)	NR	NR	25000	NŘ.	900،
(3)	Above 35m but not exceeding 45m in height	R	R	NR	R	NR	NR	R (see Note 2 and . Note 8)	R (see Note 7)	R ·	50000	5000 (10000) (see Note 4)	900	NR
(4)	Above 45m in height	R	R	NR	·R	NR	R	R (see Note 8)	R	. R	75000	5000 (10000) (see Note 4)	1200	NR
(c)	Hotels (A-5)										··· ··			
(1)	Less than 15m in height													<del></del>
•	(i) Covered area not exceeding 300 m <sup>2</sup> on each floor	R	R	NR	R	R	NR	R(see Note 2)	NR	NR	. NR	5000 (10000) (see Note 4)	NR	450 (900) (see Note 4
, -	(ii) Covered area exceeding 1000m2 on each floor	R	R	NR	R (see Note 9)	NR	R	R (see Note 10 and Note 11)	R	R (see Note 11)	100000	100000	1800	NR
(2)	15m and above but not exceeding 30 m	R	R	NR	R	NRı	R	R(see Note	R	Ŗ	150000	20000	2250	NR ,
(3)	Above 30m in height	R	R	NR	R.	NR	R	R (see Note 10)	R	R	200000	20000	2850	NR
(d) ·	Hotels (Starred)(A-6)	R	R	NR	R	NR	R	R (see Note 10)	R	R	200000	20000	2850	NR
(4)	Less than 15m in	Disago	D) (see N	iote 12)			ļ:			<b></b>				
(1)	height													
	(i) Ground plus one storey	R	NR.	NR	NR	NR	NR	R (see Note 2)	· NR	NR .	NR	5000 (see Note 3)	NR	450



Sr. No.	Type of Building Occupancy				Ţ	ype of	Install	ation			Water Supply (in litres)		Pump Capacity (in litres)	
		Fire Exting- uisher	Hose Roel	Öry Riser	Wet Riser	Down	Yard Hydrant	Automalic Sprinkler System	Manually Operated Electric Fire Alarm System	Automatic Detection and Alarm System	Under- ground Static Water Storage Tank	Terrace Tank	Pump Near Underground Stalle Water Storage Tank (Fire Pump) with Minimum Pressure of 0.3 N/mm2 at Terrace Level	At the Tank Level with Minimum Pressure of 0.3 N/mm2
	(ii) Ground plus two storeys	R	R	NR	NR	NR -	NR	R (See Note 2)	NR ·	NR	NR	10000 (15000) (See Note 4)	NR	450 (900) (see Note 4)
(2)	15 m and above but not exceeding 30m in height)	R	R	NR	NR	R	NR	R (see Note 2)	R	NR	NR	25000	NR	900
	INSTITUTIONAL BUI (see Note 1		(C)					<del></del> !			·.	. :		
(a)	Hospitals, Sanatoria and Nursing Homes (C-1)													
(1)	Less than 15 m in height					-		,			<del></del> .	,		
	(i) Up to ground plus one storey with plot area less than 1000m2 with no beds.	R	R.	NR	NR	NR	NR 	R (see Note 2)	R	NR	Nr	2500 (5000) (see Note 4)	NR	NR
•	(ii) Up to ground plus one storey with plot area greater than 1000m2 with beds	R	R	NR	NR	R	NR	R (see Note 2)	R	NR '	Nr	5000 (10000) (see Note 4)	NR ,	450 (900) (see Note 4)
	(iii) Above two storeys, with no beds	R	R	NR	R	R	R	R(see Note 2)	R	R	NR	5000 (10000) (see Note 4)	NR	450
	(iv) Above two storeys, with beds	R	R	NR	R	NR	R	R (see Note 2)	R	Ŕ	50000	5000 (10000)	1620	NR .
(2)	15m and above but not exceeding 24m in height	R	R	NR	R	NR	R	R	R	R	75000	(see Note 4) 10000	1800	NR

		<del>- '</del>	4,24,25			<u> </u>							<u> </u>	
Sr.	Type of Building Occupancy	,			T	ype of	Install	ation				r Supply		Capacity
No.	Occupancy										(in	litres)		tres)
		Fire Exting- uisher	Hose Reel	Dry Riser	Wet Riser	Down Comer	Yard Hydrant	Automatic Sprinkler System	Manually Operated Electric Fire Alarm System	Automatic Detection and Alarm System	Under- ground Static Water Storage , Tank	Terrace Tank	Pump Near Underground Static Water Slorage Tank (Fire Pump) with Minimum Pressure of 0.3 N/mm2 at Terrace Level	At the Tank Level with Minimum Pressure of 0.3 N/mm2
(3)	Above 24m and not exceeding 30m in height	Ŗ	R :	NR	R	NR	R	. R	R	Ŕ	75000	10000	1800	NR
(b)	Custodial (C-2), and Penal and Plental (C-3)								-					
(1)	Less than 10 m in height													-
	(i) Up to 300 persons	R,	R	NR	NR	NR	NR	R (see Note 2)	R	NR	NR	10000 (15000) (see Note 4)	NR -	450 (900) (see Note 4)
	(ii) More than 300 persons	R	R	NR	NR	R	NR	R (see Note 2)	R	NR	NR	15000 (20000) (see Note 4)	NR	450 (900) (see Note 4)
(2)	10m and above but not exceeding 15m in height	R	R.	NR	R	R	R	R (see Note 2)	R ·	R	50000	5000 (10000) (see Note 4)	1620	NR
(3)	15m and above but not exceeding 24m in height	R	R	NR	Ŗ	NR	R	R	R	R	75000	10000	1800	NR
(4)	24m and above but not exceeding 30m in height	R	R	NR	R	NR	R	R	Ŗ _	R	75000	10000	1800	NR
	ASSEMBLY BUIL (D-1 TO D-5) (see						-							
(1)	Less than 10m in height													
	i) Up to 300 persons	R	R	NR	NR	NR .	NR	R (see Note 2)	R	NR	NR .	10000 (15000) (see-Note 4)	NR	450 (900) (see Note .4)

Sr No.	Type of Building Occupancy			,	T	ype of	Install	ation				r Supply litres)	Pump C (in fi	apacity
		Fire Exting- uisher	Hose Reel	Dry Riser	Wel Riser	Down Comer	Yaid Hydrani	Automatic Sprinkler System	Manually Operated Electric Fire Alarm System	Automatic Detection and Alarm System	Underground Static Water Storage Tank	Terrace Tank	Pump Near Underground Static Water Storage Tank (Fire Pump) with Minimum Pressure of 0.3 N/mm2 at Terrace Level	Af the Tank Level with Minimum Pressure of 0 3 N/mm2
	ii) More than 300 persons.	Ř.	R	NR	NR	R	NR	R (see Note 2)	R	NR	NR	10000 (15000) (see Note 4)	NR	450 (900) (see Note 4)
(2)	Above 10m but not exceeding 15m in height	R	R	NR	R	R	Ř	R (see Note 2)	R .	R	50000	5000 (10000) (see Note 4)	1620	NR
(3)	Above 15m and above but not exceeding 24m in height	R	R	NR	R	NR	·R	, R	R	R	75000	10000	1800	NR
(4)	Above 24rn but not exceeding 30m in height	R	R	NR	R	NR	R	R	R	R	75000	10000	1800	NR
	BUSINESS BUILD	INGS (E	Ξ)		<u> </u>	\ <del></del>				<del> </del>				
(1)	Less than 10m in height	R.	R	R	NR	NR	NR	R (see Note 2)	R	NR	25000	5000 (10000) (see Note 4)	900	450 (900) (see Note 4)
(2)	Above 10m but not exceeding 15m in height	R	· R	NR	NR	R	R	R (see Note 2)	R	Nr	75000	5000 (10000) (see Note 4)	1620	NR
(3)	Above 15m and up to 24m in height	R	R	NR	R	NR	R	. R	. Ŕ	R	100000	10000	1800 -	NR
(4)	Above 24m in height	R	R	NR	R	NR	R	R	R	R	150000	10000	2250	NR
	MERCANTILE BUILDINGS (F)		·											
(a)	F-1 and F-2 (see Note 12)													
(1)	Less than 15m in height													

भाग आठ—११

Sr.	Type of Building				Ť	ype of	Water	Supply	Pump Capacity					
No.	Occupancy		•		•	ype or	,,,,,,,	4,1011	•	ł		litres)	(in litres)	
		Fire Exting- uisher	Hose Ruel	Dry Riser	Wet Riser	Down Comer	Yard Hydrani	Automatic Sprinkler System	Manually Operated Electric Fire Alarm System	Automatic Detection and Alarm System	Under- ground Static Water Storage Tank	Terrace Tank	Pump Near Underground' Static Water Storage Tank (Fire Pump) with Minimum Pressure of 0.3 N/mm2 at Terrace Level	At the Tank Level with Minimum Pressure of 0.3 N/mm2
	(i) Ground plus one storey, with total covered area not exceeding 500m2	R	R	NR	NR	NR	NR	R (see Note 2)	Ŗ	NR	25000	5000 (10000) (see Note 4)	450 (900) (see Note 4)	NR
	(ii) Ground plus one storey and covered area exceeding 500m2	<u>R</u>	R	NR	NR	NR	R	R (see Note 2)	R	NR	50000	25000	900	NR NR
	(iii) More than ground plus one storey	R	R	Ŕ	NR	R	R	R (see Note 2)	R	R	50000	5000 (10000) (see note 4)	900	NR
(2)	Above 15m but not exceeding 24m in height	R	R	NR	NR	R	R	R	R	R	100000	10000	1800	NR
(3)	Ahove 24m but not exceeding 30 m in height	R	R	NR	R	R	R	R	R	R	150000	10000	2250	NR
(b)	Underground shopping complex (F-3) (see Note 13)	R	R	NR	NR	R	Ř	R	R	R	150000	10000	2250	NR
	INDUSTRIAL BUILDING	GS (G)	(sec No	te 14)									-	
(a)	Low Hazard (G-1) (sec Note 15)													. '
·(1)	Up to 18m in height		, 		1				<u> </u>	l				<u> </u>
	(i) Covered area up to 50m2	R	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR ·
	(ii) Covered area above 50m2 and up to 100 m2	R	R	NR	NR	NR	NR	NR .	NR	NR	NR	5000	NR	450

महाराष्ट्र शासन
राजपत्र,
असाधारण,
फेब्रुवारी
5
५, २००७/माघ
ŞĘ,
녛
2223

Sr. No.	Type of Building Occupancy				Т	ype of	Install	ation				Supply litres)		apacity tres)
		Fire Exting- visher	Hose Red	Dry Riser	Wel Riser	Down Corner	Yard Hydrant	Automatic Sprinkler System	Manually Operated Electric Fire Alarm System	Automatic Detection and Alarm System	Under- graund Static Water Storage Tank	Terrace Tank	Pump Near Underground Stalic Water Storage Tank (Fire Pump) with Minimum Pressure of 0.3 N/mm2 at Terrace Levet	At the Tank Level with Minimum Pressure of 0.3 N/mm2
	(iii) Covered area above 100m2 and upto 200 m2	R	R	NR	NR	R	NR	NR	NR	NR	NR	7500	NR	450
	(iv) Covered area above 200 m2 and up to 100 m2	R	R	NR	NR	R.	NR	R (see Note 2)	NR	NR	NR	10000	NR	450
	(v) Covered area above 400 m2	R	R	NR	R	NR	R	R -	NR	Ŕ	20000 (30000) (see Note 4)	5000	NR	450 (900) (see Note 4)
(p)	Moderate Hazard (G	-2) (see	Note '	14)	,								-	
	(i) Covered area up to	R	·R	NR	NR	NR	NR	NR	NR	NR	NR	5000	NR	450
	(ii) Covered area above 100 m2 and up to 250m2	R	·R	NR	R	NR	NR	R (see Note 2)	NR	NR	50000	5000	900	NR
-	(iii) Covered area above 250m2 and up to 500m2	R	; R	NR	R	NR	R	R	R	R	75000	5000	1620	NR
	(iv) Covered area. above 500 m2	R	R	NR	R	NR	R	R	R	R	100000	5000	1620	NR
(c)	High Hazard (G-3) (see	Note 1	6)			/	L				<u> </u>			
	Up to 15m in height	<b></b>								ļ <u></u>		5000		
	(i) Covered area up to 50m2	R	R	NR	NR	NR	NR	NR	NR	NR	NR	5000	NR	450
	(ii) Covered area above 50m2 and upto 150m2	R	R	NR.	NR	NR	R	R	R	R	50000	5000	900	450
	(iii) Covered area above 150m2 and up to 300 m2	R	रि	NR	NR	NR	R	R	R	R	100000	5000	1620	450

Sr. No.	Type of Building Occupancy						Install				(in	Supply litres)	Pump C (in li	tres)
		Fire Exting- uisher	Hose Real	Dry Riser	Wet Riser	Down , Corner	Yard H <sub>Y</sub> drant	Automatic Sprinkler System	Manually Operated Electric Fire Alarm System	Automatic Detection and Alarm System	Under- ground Static Water Storage Tank	Terrace Tank	Pump Near Underground Static Water Storage Tank (Fire Pump) with Minimum Pressure of 0.3 N/mm2 at Terrace Level	At the Tank Level with Minimum Pressure of 0.3 N/mm2
	(IV) Covered area above 300m2 and upto 500 m2	R	R	NR	R	NR	R	Ŕ	R	R	125000	10000	1800	NR
	(v) Covered area above 500 m2	R	R	NR	R	NR	R	R	R	R	150000	NR	2250	NR
	STORAGE BUILDINGS	(H) (se	e Note 1	17}						,				
	Up to 15m in height			1		1								
. ,	(i) Single Storey Building	R	R.	NR	NR.	,NR	R	R	NR	R	150000	15000	1800	NR
	(ii) Ground plus one	- R	R	NR	NR	NR	R	R	NR	R	225000	20000	2250	NR
	/Above ground plus one floor	R	R	NR	R٠	NR	R	Ŕ	NR	R	100000	10000	1800	NR
	HAZARDOUS BUILD	ings (	J) (see	Note 17	7)	•								
	Up to 15 m in height	· .		1	Ţ	7	T	- <del></del>						:.
	(i) Single Storey Building	R	R	NR	NR	NR ·;	R	R	R	R	Minimum 4 h fire lighting requirement	NR	(see Note 18)	NR
	(ii) More than one floor building but not exceeding 15 m	R	R	.NR	R	R .	R	R	R	Ŕ	-do-	50000	(see Note 18)	900

R = Required NR = Not Required

### NOTES .-

- 1. Building above 15m in height not to be permitted for occupancies A-1 and A-2.
- 2. Required to be installed in basement if area of basement exceeds 200 m2.
- 3. Required to be provided if basement area exceeds 200 m2,
- 4. Value given in parenthesis shall apply if basement are exceeds 200 m2.
- 5. Required to be provided for buildings with more than two storeys.
- 6. Building above 60m in height not to be permitted for occupancies A-3 and A-4.
- 7. Required to be provided for buildings with height above 24m.
- 8. To be installed in basement. If basement provided is used for car parking and area thereof exceeds 750 m2 then the sprinklers shall be fed water from both underground static water storage tank and terrace tank.
- 9. Required to be provided for buildings with more than one storey.
- 10. To be installed in entire building.
- 11. Automatic detection and alarm system is required to be provided if building is not sprinklered.
- 12. Buildings above 30 m in height not to be permitted for Group B, Group C, Group D and Group F occupancies.
- 13. All underground shopping areas should be fully air conditioned.
- 14. The requirements—given in this table for group G Industrial Buildings are for small scale industry units. For other industries the requirements will have to be worked out on the basis of relevant Indian Standards and also in consultation with the local fire authorities.
- 15. Buildings above 18 m in height not to be permitted for G-1 and G-2 occupancies.
- 16. Buildings above 15m in height not to be permitted for G-3 occupancies.
- 17. Buildings above 15m in height not to be permitted for Group H and Group J occupancies.
- 18. Pump capacity shall be based on the covered area of the building and shall be as specified in this table for G-3 occupancy.

SCHEDULE- II
(See Section 3(1) Explanation and section 11(1)

PART - I
Fire Service Fee Structure for Municipal Corporations

				<b></b>							
Sr. No.	Type of Building Occupancy	where p	Corporation opulation 50 lakhs	where p exceeds 2	Corporation opulation 5 lakhs but ceed 50 lakhs	where popul	Corporation lation exceeds but does not 25 Lakhs	copulation of	rporation where exceeds 5 lakhs exceed 10 lakhs	where percent of the control of the	Corporation copulation akhs but do ced 5 lakhs
1	2		3		4		5		6		7
		Fee in Rs. per Sq.mt,	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt	Subject to Minimum of Rs.	Fee in Rs. per Sq.ml.	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt	Subject to Minimum of Rs.	fea in Rs. per Sq.mt	Subject to Minimum o Rs.
	RESIDENTIAL BUILDINGS (A)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)
(a)	Lodging or Rooming Houses (A-1) Less than 15 m in height										
	(i) Up to 15 rooms	5.00	30,000.00	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00
	(ii) More than 15 and up to 30 .	7.00	35,000.00	6.00	30,000.00	5.00	25,,000.00	4.00	20,000.00	3,00	15,000.00
	(iii) More than 30 rooms	10.00	50,000.00	8.00	35,000.00	7.00	30,000.00	6,00	20,000.00	5,00	25,000.00
(b)	Apartment Houses (A-4)	·	•					-	<del> </del>		
(1)	From 15 m to 24 m in height	5.00	30,000:00	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00
(2)	24 m and above but not exceeding 35 m in height	7.00	40,000,00	6.00	30,000,00	5.00	25,000.00	4.00	20,000.00	3.00	15,000.00
(3)	Above 35 m but not exceeding - 45 m in height	10.00	60,000.00	8.00	50,000.00	7,00	35,000.00	Construction	on Not Allowed	Nol	Allowed
(4)	Above 45 m in height	15.00	1,00,000.00	12.00	75,000.00	10.00	50,000.00	Not	Allowed	Not	Allowed

Sr. No.	Type of Building Occupancy	where p	Corporation opulation 50 lakhs	where p exceeds 2	Corporation opulation 5 lakhs but ceed 50 lakhs	where popul	Corporation lation exceeds but does not 25 Lakhs	population e	rporation where exceeds 5 lakhs exceed 10 lakhs	where percents 3 is	Corporation copulation akhs but does eed 5 lakhs
1	2		3		4	,	5		6		7
		Fee in Rs. pei Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt	Subject to Minimum of Rs.	Fee in Rs. per Sq.ml	' Subject to Minimum of Rs.
		(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	. (2)
(c)	Hotels (A-5)										
71)	Less than 15 m in height				1						
	(i) Covered area not exceeding 300 m2 on each floor.	5.00	30,000.00	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00
·	(ii) Covered area exceeding 300 m2 but not more 1000 m2 on each floor	7.00	35,000.00	6.00	30,000.00	5.00	25,000.00	4.00	20,000.00	3.00	15,000.00
	(iii) Covered area exceeding 1000 m2 on each floor	10.00	50,000.00	8.00	40,000.00	7.00	35,000.00	6.00	30,000.00	5.00	25,000.00
(2)	15 m and above but not exceeding 30 m	15.00	1,00,000.00	12.00	75,000.00	10.00	50,000.00	8.00	40,000.00	7.00	35,000.00
(3)	Above 30 m in height	20.00	1,50,000.00	15.00	1,00,000.00	12.00	75,000.00	Not.	Allowed	Not.	Altowed
(d)	Hotels (Starred) (A-6)			_							
(1)	Less than 15 m in height				<u> </u>						
J	(i) 3 Starred Hotels	15.00	1,00,000.00	14.00	90,000.00	12.00	75,000.00	16.00	50,000.00	8.00	40,00C.00
ļ ———	(ii) 5 Starred Hotels	20.00	1,50,000.00	18.00	1,25,000.00	15.00	1,00,000.00	12,00	75,000.00	10.00	50,000,00
	(iii) 7 Starred Delux Hotels	25 00	2,00,000 00	22.00	1,40,000.00	20.00	1,50,000.00	15.00	1,00,000.00	12.00	75,000.00
(2)	15 m & above but not exceeding 30 m in height.	30.00	3,00,000.00	28.00	2,50,000.00	25.CO	2,00,000.00	20.00	1,50,000.00	15.00	1,00,000.00
(3)	Above 30 mtrs, in height	50.00	4,00,000.00	35.00	3,00,000.00	30.00	2,50,000.00	Not	Allowed	Not.	Allowed
<del></del>	EDUCATIONAL BUILDINGS (B)	,	-		<u> </u>						
(1)	Less than 15 m in height										
	(i) Ground plus one storey	5.00	30,000.00	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	1,00	10,000.00
	(ii) Ground plus two storey	7.09	35,000.00	6.00	30,000.00	5.00	25,000.00	· 4.00	20,000.00	3.00	15,000.00

Sr. No.	Type of Building Occupancy	where p	Corporation opulation 50 lakhs (	where po exceeds 2	Corporation  opulation =  5 lakhs but seed 50 lakhs	where popul	Corporation ation exceeds out does not 25 Lakhs	population o	rporation where exceeds 5 takhs exceed 10 takhs	where peaceds 3 l	Corporation copulation akhs but does ed 5 lakhs
··· 1	2		3	1	4		5	l	8	<u> </u>	7
	-	Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.	Fae in Rs. per Sq.mt	Subject to Minimum of Rs.	Foe in Rs. per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt	Subject to Minimum of Rs.	Fee in Rs. per Sq.rnt	Subject to Minimum of Rs.
		(1)	(2)	(1)	(2)	_(1)	(2)	(1)	(2)	(1)	(2)
(2)	15 m and above but not exceeding 30 m in height	10.00	50,000.00	8,00	40,000.00	7.00	35,000.00	6.00	.30,000.00	5,00	25,000.00
	INSTITUTIONAL BUILDINGS ®				ļ ]				, _		
(a)	Hospitals, Sanatoria and Nursing Homes (C-1)										
(1)	Less than 15 m in height										<u> </u>
,	(i) Up to ground plus one storey with plot area less than 1000 m2, with no beds	.5,00	30,000.00	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	1,00	10,000,00
	(ii) Up to ground plus one storey with plot area greater than 1000 m2, with beds.	7.00	35,000.00	6.00	30,000.00	5.00	25,000,00	4.00	20,000.00	3.00	15,000.00
	(iii) Above two storey, with no beds.	8.00	40,000.00	7.00	35,000,00	6.00	30,000,00	5.00	25,000.00	4,00	20,000.00
	(iv) Above two storey, with beds.	9.00	45,000.00	8.00	40,000.00	7.00	35,000,00	5,00	30,000.00	5.00	25,000.00
(2)	15 m and above but not exceeding 24 m in height	10.00	75,000.00	9.00	45,000.00	8.00	40,000.00	7.00	35,000.00	6.00	30,000.00
(3)	Above 24 in and not exceeding 30 m in height	15.00.	1,00,000:00	12.00	60,000.00	10.00	50,000.00	Not	Allowed .	Not	Allowed
(b)	Custodial (C-2) and Penal and Plental (C-3)					,					
(1)	Less than 10 m in height	·	}	l		{				<u> </u>	<del></del>
	(i) Up to 300 persons	5.00	30,000,00	4.00	25,000.00	3.00	20,000,00	2.00	15,000.00	1 90	10,000.00
	(ii) More than 300 persons	6.00	35,000.00	5.00	30,000.00	5.00	25,000.00	4.00	20,000.00	3.00	15,000.00

٦.

Sr. No.	Type of Building Occupancy	where p	Corporation opulation 50 lakhs	where po exceeds 2	Corporation opulation 5 lakhs but ceed 50 lakhs	where popul	Corporation lation exceeds out does not 25 Lakhs	population e	rporation where exceeds 5 lakhs exceed 10 lakhs	where percent and the exceeds 3.1	Corporation opulation akhs but does ed 5 lakhs
1	. 2		v	<u></u>	4	<u> </u>	5		•		7 8 45 (6)
		Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs, per Sq.mt	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt.	Subject to Minimum of Rs,	Fea in Rs. per Sq.mt	Subject to Minimum of Rs.	Fee in Rs. per Sq.ml	Subject to Minimum of Rs.
		(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)
(2)	10 m and above but not exceeding 15 m in height	00.8	40,000.00	7.00	35,000.00	5.00	30,000.00	5.00	25,000.00	4.00	20,000.00
(3)	15 m and above but not exceeding 24 m in height	10.00	50,000.00	9.00	45,000.00	7.00	35,000.00	. 6.00	30,000.00	5.00	25,000.00
(4)	24 m and above but not exceeding 30 m in height	15.00	1,00,000.00	12.00	60,000.00	10.00	50,000.00	Not /	Allowed	Not a	Nowed
"	ASSEMBLY BUILDINGS (D) (D-1 TO D-5)										
(1)	Less than 10 m in height	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>	<del> </del>				
·	(i) Up to 300 persons	5.00	30,000.00	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00
	(ii) More than 300 persons	6.00	35,000.00	6.00	30,000.00	5.00	25,000.00	4.00	20,000.00	3.00	15,000.00
(2)	Above 10 m but not exceeding 15 m in height	8.00	40,000.00	7.00	35,000.00	6.00	30,000,00	5.00	25,000.00	4.00	20,000.00
(3)	Above 15 m and above but not exceeding 24 ra in height	10.00	75,000.00	9.00	50,000.00	7.00	35,000.00	6.00	30,000.00	5.00	25,000.00
(4)	Above 24m but not exceeding 30 m in height.	15.00	1,00,000,00	12.00	75,000.00	10.00	50,000.00	Not.	Allowed	Not	Allowed
	BUSINESS BUILDINGS(E)	ļ		<del> </del>		<u> </u>					
<del>,(1)</del>	Less than 10 m in height	5.00	35,000,00	4.00	30,000.00	3.00	25,000.00	2.00	20,000.00	1.00	15,000,00
(2)	Above 10 m but not exceeding 15m in height	7.00	50,000.00	6.00	40,000.00	5.00	35,000.00	4.00	30,000.00	3.00	25,000.00
(3)	Above 15 m and up to 24 m in height	10.00	1,00,000.00	8.00	75,000.00	7.00	50,000.00	5.00	35,000.00	4.00	30,000.00

r. o.	Type of Building Occupancy	where p exceeds	Corporation opulation 50 lakhs	where p	Corporation opulation 5 lakhs but seed 50 lakhs	where popul	Corporation ation exceeds out does not 25 Lakhs	population e	rporation where exceeds 5 lakhs' exceed 10 lakhs	where perceeds 3 !	Corporation population akhs but does ad 5 lakhs
1 1	2	ļ	3		4		5		6		7 -
		Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs, per Sq.mt	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt	Subject to Minimum of Rs.
		(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)
<b>(4)</b>	Above 24 m in height	15.00	1,50,000.00	10.00	1,00,000.00	10.00	75,000.00	Not /	Allowed		Altowed
	MERCANTILE BUILDINGS (F)			<u> </u>				,			-
i)	F-1 and F-2							<u> </u>		· ·	
i)	Less than 15m in height				<del> </del>	<del>-</del>	<u> </u>				
	(i) Ground plus one storey, with total covered area not exceeding 500 m2	5.00	30,000,00	4.00	25,000.00	3,00	20,000.00	2.00	15,000.00	1.00	10,000.00
	(ii) Ground plus one storey and covered area exceeding 500 m2	7.00	35,000.00	6.00	30,000.00	5.00	25,000.00	4.00	20,000.00	3.00	15,000.00
	(iii) More than ground plus one storey	8.00	50,000.00	8.00	40,000.00	7.00	35,000.00	5.00	25,000.00	4,00	20,000.00
2)	Above 15 m but not exceeding 24 m in height	10.00	1,00,006.00	9.00	75,000.00	.8.00	50,000.00	7.00	35,000.00	5.00	25,000.00
3)	Above 24 m but not exceeding 30 m in height	15.00	1,30,000.00	. 12.00	1,00,000.00	10.30	75,000.00	Not /	Vlowed	Not A	Mowed
b)	Underground shopping complex (F-3)	·	,			<u> </u>					
	INDUSTRIAL BUILDINGS (G)			<del></del>							
a)	Low Hazard (G-1)										
1)	Up to 18m in height			<del></del>	1			<del></del>			<u>† </u>
<u>.</u>	(i) Covered area up to 50 m2	5.00	30,000.00	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00

Sr. No		Type of Building Occupancy	where p	Corporation population 50 lakhs	where p	Corporation opulation 5 lakhs but ceed 50 lakhs	where popul 10 Lakhs I	Corporation lation exceeds out does not 25 Lakhs	population of	rporation where exceeds 5 lakhs exceed 10 lakhs	where percents 3 l	Corporation population akhs but does add 5 lakhs
1		2		3		4		5 .		6		7
	i		Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.	Pee in Rs. per Sq.mt	Subject to Minimum of Rs.	Fee in Rs, per Sq.mt	Subject to Minimum of Rs.
'	:		(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)
-		(ii) Covered area above 50m2 and up to 100 m2	7.00	40,000.00	6.00	30,000.00	5.00	25,000.00	4.00	20,000.00	3.00	15,000.00
		(iii) Covered area above 100 m2 and up to 200 m2	10.00	75,000.00	8.00	50,000.00	7.00	35,000.00	5.00	25,000.00	4.00	20,000,00
]		(iv) Covered area above 200 m2 and up to 400 m3	15.00	1,00,000.00	12.00	75,000:00	10.00	50,000.00	7.00	35,000.00	5.00	25,000.00
		(v) Covered area above 400 m2	20.00	1,50,000.00	15.00	1,25,000.00	15.00	1,00,000.00	10.00	50,000.00	7.00	35,000.00
(b)		Moderate Hazard (G-2)	,									
(1)		Up to 18 m in height								<u> </u>		
		(i) Covered area up to 100 m2	5,00	30,000.00	.4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00
		(ii) Covered area above 100m2 and up to 250 m2	7.00	75,000.00	5.00	50,000.00	5.00	35,000.00	4.00	25,000.00	3.00	20,000.00
-		(iii) Covered area above 250 m2 and up to 500 m2	10.00	1,00,000.00	8.00	75,000.00	7.00	50,000.00	5.00	35,000.00	4.00	25,000.00
		(iv) Covered area above 500 m2	15.00	1,50,000.00	12,00	1.25,000.00	10.00	1,00,000.00	7.00	50,000.00	5.00	35,000.00
(c)		High Hazard (G-3)(See Note( 2)		··				<u> </u>	<del></del>		· · · · · · · · · · · · · · · · · · ·	<del> </del>
(1)		(A) Up to 15 m in height			· ·	<del> </del>		<u></u>		_	<del>- · · · - · · · · ·</del>	
-		(i) Covered area up to 50m2	5.00	35,000.00	4.00	30,000.00	3.00	25,000.00	2.00	20,000.00	1.00	15,000.00
		(ii) Covered area above 50 m2 and up to 150 m2	7.00	40,000.00	6.00	35,000.00	5,00	30,000.00	4,00	25,000.00	3.00	20,000.00
		(iii) Covered area above 150 m2 and up to 300 m2	10.00	60,000.00	8.00	50,000.00	7.00	40,000.00	5.00	35,000.00	4.00	30,000.00

Sr. No.	Type of Building Occupancy	where p exceeds	Corporation opulation 50 lakhs	ulation where population		where popul	Corporation lation exceeds out does not 25 Lakhs	Municipal Corp population ex but does not ex	ceeds 5 lakhs	Municipal Corporatio where population exceeds 3 lakhs but do not exceed 5 lakhs	
1	2	Fee in Rs. per Sq.mt.	Subject to Minimum of	Fee in Rs. per Sq.mt	*Subject to Minimum of	Fee in Rs. per Sq.mt.	5 Subject to Minimum of	Fee in Rs. per Sq.ml	Subject to Minimum of Rs.	Fee in Rs. Per Sq.ml	7 Subject to Minimum of
	<u> </u>	(1)	Rs.	<u> </u>	Rs		Rs.	<u> -</u>			Rs.
	: (iv) Covered area above 300 m2 and up to 500 m2	15.00	(2) 1,00,000,00	(1) 12.00	(2) 75,000.00	(1) 10,00	(2) 50,000.00	(1) 7.00	40,000.00	(1) 5.00	(2) 35,000.00
	(v) Covered area above 500 m2	20,00	2,00,000.00	15.00	1,50,000.00	15.00	1,00,000.00	10.00	75,000.00	7.00	50,000,00
	(B) Cross Country Pipelines carrying hazardous Gases and Petroleum products.	20,00 per meter	2,00,000.00	15.00 per meter	1,50,000.00	15.00 per meter	1,00,000.00	10.00 per meter	75,000,00	7.00 per meter	50,000.00
	STORAGE BUILDINGS (H)							, .	<del> </del>		
(1)	Up to 15 m in height	<del></del>									ļ
	(i) Single Storey Building	10.00	30,000.00	8.00	25,000.00	7.00	20,000.00	5.00	15,000.00	3.00	10,000.00
	(ii) Ground plus one floor	15.00	40,000.00	12.00	30,000.00	10.00	25,000.00	7.00	20,000.00	5.00	15,000.00
(2)	Ahove ground plus one floor	20.00	50,000,00	18.00	40,000.00	15.00	35,000.00	10.00	25,000.00	7.00	20,000.00
	HAZARDOUS BUILDINGS (J)	- <del></del>		<del></del>							
(1)	Up to 15 m in height				ļ				-l		
·	(i) Single Storey Building	15.00	35,000.00	12.00	30,000.00	10.00	25,000.00	. 7.00	20,000,00	5.00	15,000.00
	(ii) More than one floor building but not exceeding 15 m	20.00	50,000.00	18.00	40,000,00	15,00	35,000.00	10.00	25,000.00	7.00	20,000.00

PART-II
Fire Service Fee Structure for Municipal Councils

Sr. No.	Type of Building Occupancy	population o	Councils where exceeds 2 lakhs texceed 3 lakhs	population ex	Councils where sceeds 1 lakh but exceed 2 lakhs	population of	Councils where xceeds 0.40 lakh ot exceed 1 lakh	population exc	ouncils where eeds 0,25 lakh but ceed 0,40 lakh
1	2		3		4		5	\	6 .
		Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt,	Subject to Minimum of Rs.
		(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)
	RESIDENTIAL BUILDINGS (A)								
(a)	Ladging or Rooming Houses (A-1)							,	
	Less than 15 m in height			İ			•		
	(i) Up to 15 rooms	1.00	8,000.00	0.75	7,000.00	0.50	6,000.00	0.25	5,000,00
	(ii) More than 15 and up to 30 rooms	.3.00	20,000.00	2.00	15,000.00	1.00	10,000,00	0.75	7,500.CJ
	(iii) More than 30 rooms	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00
(b)	Apartment Houses (A-4)								
(1)	From 15 m to 24 m in height	1.00	8,000.00	0.75	7.000.00	0.50	6,000.00	0.25	5,000.00
(2)	15 m and above but not exceeding 35 m in height	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00	Not	bewolle
(3)	Above 35 m but not exceeding 45 m in height	Not	allowed	· Not	allowed	Not	allowed.	Not a	allowed
(4)	Above 45 m in height	Not	allowed	Not	allowed	Not	allowed	Not a	allowed
(c)	Hotels (A-5)		-	-	•				
(1)	Less than 15 m in height		<del>-</del>						
-	(i) Covered area not exceeding 300 m2 on each floor.	1,00	8,000.00	0.75	7,000.00	0.50	6,000.00	0.25	5,000.00
	(ii) Covered area exceeding 300 m2 but not more 1000 m2 on each floor	3.00	20,000.00	2,00	15,000.00	1.00	10,000.00	0.75	7,500.00

Sr. No.	Type of Building Occupancy	population	Councils where exceeds 2 lakhs it exceed 3 lakhs	population ex	Councils where coeds 1 lakh but exceed 2 lakhs	population ex	ouncils where ceeds 0.40 lakh exceed 1 lakh	population exce	ouncils where eeds 0,25 lakh but ceed 0,40 lakh
1	<u> </u>		3		4.		5		6 ,
	!	Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. per Sq mt.	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.
	<u> </u>	(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)
	(iii) Covered area exceeding 1000 m2 on each floor	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	`1.00	10,000.00
2}	15 m and above but not exceeding 30 m	5.00	30,000.00	4.00	25,000.00	Not a	llowed	Not a	illowed
(3)	Above 30 m in height	6.00	35,000,00	Not	allowed	Not a	llowed	Not a	illowed
(d)	Hotels (Starred) (A-6)								
(1)	Less than 15 m in height								
	(i) 3 Starred Hotels	8.00	25,000.00	7.00	20,000.00	6.00	15,000.00	5.00	10,000.00
	(ii) 5 Starred Hotels	10.00	30,000.00	8.00	25,000.00	7.00	20,000.00	6.00	15,000.00
	(iii) 7 Starred Delux Hotels	12.00	40,000.00	10.00	30,000.00	8.00	25,000.00	7.00	20,000.00
2)	15 m & above but not exceeding 30 m in height.	, 15.00	50,000.00	12.00	40,000.00	Not a	llowed	Nọt a	llowed .
(3)	Above 30 rntrs. in height	20.00	75,000.00	Not	allowed	Not a	llowed	Not a	llowed
	EDUCATIONAL BUILDINGS (B)		-			,			
(1)	Less than 15 m in height		1					<del></del>	
	(i) Ground plus one storey	1.00	8,000.00	0.75	7,000.00	0.50	6,000.00	0.25	5,000.00
	(ii) Ground plus two storey	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00	0.75	7,500.00
2)	15 m and above but not exceeding 30 m in height	4.00	25,000.00	3.00	20,000.00	Not a	llowed	. Not a	flowed

Sr. No.	Type of Building Occupancy	population (	Councils where exceeds 2 lakhs t exceed 3 lakhs	population ex	ounclis where ceeds 1 lakh but ceed 2 lakhs	population e	Councils where xceeds 0,40 lakh ot exceed 1 lakh	population exc	ouncils where eeds 0.25 lakh but ceed 0.40 lakh
1	2		3	<u> </u>	5 to 1 to 1 to 1	Fee in Rs.	5 Subject to	<del> </del>	B Subject to
		Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. per Sq.mi.	Subject to Minimum of Rs.	per Sa.mt.	Minimum of Rs.	Fee in Rs. per Sq.mt.	Minimum of Rs.
·		(1)	(2)	(1).	(2)	(1)	(2)	(1)	(2)
·	INSTITUTIONAL BUILDINGS @		<u></u>						
(a)	Hospitals, Sanatoria and Nursing Homes (C-1)	•							
(1)	Less than 15 m in height		<b> </b>	,					
	(i) Up to ground plus one storey with plot area less than 1000 m2, with no beds	1.00 -	8,000.00	0.75	7,000.00	0,50	6,000.00	0.25	5,000.00
	(ii) Up to ground plus one storey with plot area greater than 1000 m2, with beds.	3.09	20,000.00	2.00	15,000.00	1.00	10,000.00	0.75	7,500.00
	(iii) Above two storey, with no beds.	4.00	25,000.00	3,00	20,000.00	2.00	15,000.00	1.00	10,000.00
	(iv) Above two storey, with beds.	5.00	30,000.00	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00
(2)	15 m and above but not exceeding 24 m in height	6.00	35,000.00	5.00	30,000.00	Not	allowed	Not a	allowed
(3)	Above 24 m and not exceeding 30 m in height	7.00	40,000.00	Not a	llowed	Not	allowed	Not a	allowed
(b)	Custodial (C-2) and Penal and Plental (C-3),								-
(1)	Less than 10 m in height		<del> </del>		<del> </del>			İ	-
<u> </u>	(i) Up to 300 persons	1.00	8,000.00	0.75	7,000.00	0.50	6,000.00	0.25	5,000.00
	(ii) More than 300 persons	3.00	20,000.00	2.00	15,000.00	. 1.00	10,000.00	0.75	7,500.00
(2)	10 m and above but not exceeding 15 m in height	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00
(3)	15 m and above but not exceeding 24 m in height	5.00	30,000.00	4.00	25,000.00	Not	allowed	Not a	allowed
(4)	24 m and above but not exceeding 30 m in height	6.00	35,000.00	. Not	allowed	· Not	allowed	Not :	allowed

Sr. 'No.	Type of Building Occupancy	population	Councils where exceeds 2 lakhs i exceed 3 lakhs	population ex	ouncils where ceeds 1 lakh but xceed 2 lakhs	population e	councils where xceeds 0,40 lakh t exceed 1 lakh	population exci	ouncils where seds 0.25 lakh bw ceed 0.40 lakh
٠.	2		3		4		5	<u> </u>	6
	•	Fee in Rs. per Sq.ml.	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. per So.mt.	Subject to Minimum of Rs.	Fee in Rs. per Sq.ml.	Subject to Minimum of Rs.
		(1)	(2)	(1)	(2)	(1)	(2)	(1)	(2)
-	ASSEMBLY BUILDINGS (C) (D-1 TO D-5)		12/	<u></u>					
(1)	Less than 10 m in height							· · ·	
` .	(i) Up to 300 persons	1.00	8,000,00	0.75	7,000.00	0.50	6,000.00	0.25	5,000.00
	: (ii) More than 300 persons	3.00	20,000,00	2.00	15.000.00	1.00	10,000.00	0.75	7,500.00
(2)	Above 10 m but not exceeding 15 m in height	4.00	25,000,00	3.00	20,000.00	2.00	15,000.00	. 1.00	10,000.00
(3)	Above 15 m and above but not exceeding 24 m in height	5.00	-30,000.00	4.00	25,000.00	Not	allowed	Not a	llowed
(4)	Above 24m but not exceeding 30 m in height:	6.00	35,000.00	Not a	illowed .	Not :	allowed	Not a	llowed
	BUSINESS BUILDINGS(E)				T				
(1)	Less than 10 m in height	1.00.	10,000.00	0.75	8,000,00	0.50	6,000.00	0.25	5,000.00
(2)	Above 10 m but not exceeding 15m in height	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00	0.75	7,500.00
(3)	Above 15 m and up to 24 m in height	4.00	30,000.00	3.00	20,000.00	Not a	allowed	Not a	llowed
(4)	Above 24 m in height	5.00	40,000.00	Not a	llowed		allowed	Not a	llowed
	MERCANTILE BUILDINGS (F)		,		•				
(a)	F-1 and F-2			ļ		<u> </u>	-		
(1)	Less than 15m in height		<del> </del>		<del>- </del> -	<del> </del>	<del>-  </del>	<del>                                     </del>	
	(i) Ground plus one storey, with total covered area not exceeding 500 m2	1.00	8,000.00	0.75	7,000.00	0.50	6,000.00	0.25	5,000.00
	(ii) Ground plus one storey and covered area exceeding 500 m2	3.00	20,000.00	2.00	15,000.00	1,00	10,000.00	0.75	7,500.00

Sr No.	Type of Bullding Occupancy	population	Councils where exceeds 2 lakhs t exceed 3 lakhs	population e	Councils where sceeds 1 lakh but exceed 2 lakhs	population e	Councils where xceeds 0.40 lakh at exceed 1 lakh	Municipal Councils where population exceeds 0.25 lakh but does not exceed 0.40 takh		
-1	2		3		4		5		6	
	· · · · · · · · · · · · · · · · · · ·	Fee in Rs. per Sq.mt.	Subject to	Fee in Rs.	Subject to Minimum of Rs.	Fee in Rs.	Subject to	Fee in Rs. per	Subject to	
		(1)	Minimum of Rs.	per Sq.mt.	(2)	per Sq.mt. (1)	Minimum of Rs. (2)	Sq.rnt.	Minimum of Rs. (2)	
	(iii) More than ground plus one storey	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	1.00	1 10,000,00	
(2)	Above 15 m but not exceeding 24 m in	5.00	30,000.00	4.00	25,000.00		allowed		allowed	
(3) (1	Above 24 m but not exceeding 30 m in height	6.00	35,000.00	Not	allowed	Not	allowed	Not allowed		
(b)	Underground shopping complex (F-3)					,				
	INDUSTRIAL BUILDINGS (G)					,				
(a)	Low Hazard (G-1)					· · · · · · · · · · · · · · · · · · ·				
(1)	Up to 18m in height							<del></del> -	<del>-  </del>	
	(i) Covered area up to 50 m2	1.00	8,000.00	0.75	7,000.00	0.50	6.000.00	0.25	5,000.00	
	(ii) Covered area above 50m2 and up to 100 m2	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00	0.75	7,500.00	
	(iii) Covered area above 100 m2 and up to 200 m2	4.00	25,000.00	3,00	20,000.00	2.00	15,000.00	1.00	10,000.00	
	(iv) Covered area above 200 m2 and up to 400 m3	5.00	30,000.00	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	
	(v) Covered area above 400 m2	6.00	35,000.00	5.00	30,000.00	4.00	25,000.00	3.00	20,000.00	
(b)	Moderate Hazard (G-2)					-				
(1) .	Up to 18 m in height			<del></del> -	<del></del>		<del>                                     </del>	<del> </del>	<del>-   </del>	
	(i) Covered area up to 100 m2	1.00	8,000.00	0.75	7,000.00	0.50	6,000.00	0.25	5,000.00	
-	(ii) Covered area above 100m2 and up to 250 m2	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00	0.75	7,500.00	
	(iii) Covered area above 250 m2 and up to 500 m2	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00	
	(iv) Covered area above 500 m2	5.00	30,000.00	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	

Sr. No.	Type of Building Occupancy	population	Councils where exceeds 2 lakhs of exceed 3 lakhs	population exc	ouncils where eeds 1 lakh but ceed 2 lakhs	population ex	ounclis where ceeds 0.40 lakh exceed 1 lakh	population exce	uncils where eds 0.25 lakh but eed 0.40 lakh
1	2	_	3		4	5		6	
		Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. per Šq.mt.	Subject to Minimum of Rs.	Fee in Rs. per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. per I Sq.mt.	Subject to Minimum of Rs.
	<u> </u>	(1)	(2)	-{1}	(2)	(1)	(2)	(1)	(2)
(c)	High Hazard (G-3) See Note (2)						,		
1)	(A) Up to 15 m in height						1		
	(i) Covered area up to 50m2	1.00 .	8,000.00	0.75	7,000.00	0.50	6,000.00	0.25 .	5,000.00
	(ii) Covered area above 50 m2 and up to 150 m2	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00	0.75	7,500.00
	(iii) Covered area above 150 m2 and up to 300 m2	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00
	(iv) Covered area above 300 m2 and up to 500 m2	5.00	30,000.00	4.00	25,000.00	3.00	20,000,00	2,00	15,000.00
	(v) Covered area above 500 m2	6.00	35,000,00	5.00	30,000.00	4.00	25,000.00	3.00	20,000.00
	(B) Cross Country Pipelines carrying hazardous Gases and Petroleum products.	6.00 per rntr	35,000.00	5.00 per mtr	30,000.00	4.00 per mtr	25,000.00	3.00 per mtr	20,000.00
	STORAGE BUILDINGS (H)								
1)	Up to 15 m in height		<del> </del>	<del></del>	<del> </del>		<del></del>		
	(i) Single Storey Building	1.00	8,000,00	0.75	7.000.00	0.50	6,000,00	0.25	5,000.00
	(ii) Ground plus one floor	3.00	20,000,00	2.00	15.000,00	1.00	10,000.00	0.75	7,500.00
3)	Above ground plus one floor	4.00	25,000.00	3.00	20,000.00	2.00	15,000.00	1,00	10,000.00
<del></del>	HAZARDOUS BUILDINGS (J)					-			
	,							ł	
1)	Up to 15 m in height	····	<del> </del> -		†		<del> </del>	l	
	(i) Single Storey Building	2.00	8,000.00	1.00	7,000.00	0.75	6,000.00	0.50	5,000.00
	(ii) More than one floor building but not exceeding 15 m	3.00	20,000.00	2.00	15,000.00	1.00	10,000.00	0.75	7,500.00

PART- III

Fire Service Fee Structure for Special Planning Authorities and Other Areas Beyond Special Planning Authorities and Municipal Limits

Sr. No	Type of Building Occupancy	Special Plannir	ng Authorities	Other Areas Beyond Special Planning Authorit and Municipal Limits				
1	2	3		. 4				
		Fee in Rs. Per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. Per Sq.mt.	Subject to Minimum of Rs.			
		(1)	(2)	(1)	(2)			
	RESIDENTIAL BUILDINGS (A)							
(a)	Lodging or Rooming Houses (A-1)			·	,			
	Less than 15 m in height							
	(i) Up to 15 rooms	5.00	30,000.00	4.00	25,000.00			
	(ii) More than 15 and up to 30 rooms	7.00	35,000.00	- 6.00	30,000.00			
	(iii) More than 30 rooms	10.00	50,000.00	8.00	35,000.00			
(b)	Apartment Houses (A-4)	•						
(1)	From 15 m to 24 m in height	5.00	30,000.00	4.00	25,000.00			
(2)	15 m and above but not exceeding 35 m in height	7.00	40,000.00	6.00	30,000.00			
(3)	Above 35 m but not exceeding 45 m in height	10.00	60,000.00	8.00	50,000.00			
(4)	Above 45 m in height	15.00	1,00,000.00	12.00	75,000.00			
(c)	Hotels (A-5)							
(1)	Less than 15 m in height	· · · · · · · · · · · · · · · · · · ·	<del> </del>					
_:	(i) Covered area not exceeding 300 m2 on each floor.	5.00	30,000.00	4.00	25,000.00			
	(ii) Covered area exceeding 300 m2 but not more 1000 m2 on each floor	7.00	35,000.00	6.00	30,000.00			
	(iii) Covered area exceeding 1000 m2 on each floor	10.00	50,000.00	8.00	40,000.00			
(2)	. 15 m and above but not exceeding 30 m	15.00	1,00,000.00	12.00	75,000.00			
(3)	Above 30 m in height	20.00	1,50,000.00	15.00	1,00,000.00			

-	•
£	
7	
근	
w	
2	
οl	

Sr. No.	Type of Building Occupancy	Special Plannir	ig Authorities		Special Planning Authority nicipal Limits
1	2	3			4
		Fee in Rs. Per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. Per Sq.mt.	Subject to Minimum of Rs.
		(1)	(2)	(1)	(2)
d)	Hotels (Starred) (A-6)				
(1)	Less than 15 m in height	· · · ·			
	(i) 3 Starred Hotels	15.00	1,00,000.00	14.00	90,000.00
	(ii) 5 Starred Hotels	20.00	1,50,000.00	18.00	1,25,000.00
	(lii) 7 Starred Delux Hotels	25.00	2,00,000.00	22.00	1,40,000.00
(2)	15-m & above but not exceeding 30 m in height.	. 30.00	3,00,000.00	28.00	2,50,000.00
(3)	Above 30 mtrs. in height	50.00	4,00,000.00	35.00	3,00,000.00
	EDUCATIONAL BUILDINGS (B)				
(1)	Less than 15 m in height				
	(i) Ground plus one storey	5.00	30,000.00	4.00	25,000.00
<u> </u>	(iii) Ground plus two storey	7.00	35,000,00	6.00	30,000,00
(2)	15 in and above but not exceeding 30 m in height	10.00	50,000.00	8.00	40,000.00
	INSTITUTIONAL BUILDINGS ©			·	,
(a)	Hospitals, Sanatoria and Nursing Homes (C-1)				
(1)	Less than 15 m in height				
	(i) Up to ground plus one storey with plot area less than 1000 m2, with no beds	5.00	30,000,00	4.00	25,000.00
	(ii) Up to ground plus one storey with plot area greater than 1000 m2, with beds.	7.00	35,000.00	6.00	30,000.00
	(iii) Above two storey, with no beds.	. 8,00	40,000.00	7.00	35,000.00
	(iv) Above two storey, with beds.	9.00	45,000.00	8.00	40,000.00
(2)	15 m and above but not exceeding 24 m in height	10.00	. 75,200.00	9,00	45,000.00

Sr. No.	Type of Building Occupancy	Special Planni	ng Authorities	Other Areas Beyond Special Planning Authority and Municipal Limits			
1	2	Fee in Rs. Per Sq.mt.	Subject to Minimum	Fee in Rs. Per Sq.mt.	4 Subject to Minimum of Rs.		
,		oo iii raar er eq.iii.	of Rs.	a so militar i si signini	odojest is minima or just		
	1	(1)	(2)	(1)	(2)		
(3)	Above 24 m and not exceeding 30 m in height	15.00	1,00,000,00	12.00	60,000.00		
(b)	Custodial (C-2) and Penal and Plental (C-3)						
(1)	Less than 10 m in height						
	(i) Up to 300 persons .	5.00	30,000.00	4.00	25,000.00		
:	(ii) More than 300 persons	6.00	35,600.00	5.00	30,000.00		
(2)	10 m and above but not exceeding 15 m in height	8.00	40,000.00	7.00	35,000.00		
(3)	15 m and above but not exceeding 24 m in height	10.00	50,000.00	9.00	45,000.00		
(4)	24 m and above but not exceeding 30 m in height	15.00	1,00,000.00	12.00	60,000.00		
	ASSEMBLY BUILDINGS (D) (D-1 TO D-5)				-		
(1)	Less than 10 m in height			<del></del>			
	(i) Up to 300 persons	5.00	30,000.00	4.00	25,000.00		
	(ii) More than 300 persons	6.00	35,000.00	6.00	30,000.00		
(2)	Above 10 m but not exceeding 15 m in height	8.00	40,000:00	7.00	35,000.00		
(3)	Above 15 m and above but not exceeding 24 m in height	10.00	75,000.00	9.00	50,000.00		
(4)	Above 24m but not exceeding 30 m in height.	15.00	1,00,000.00	12.00	75,000.00		
	BUSINESS BUILDINGS(E)						
(1)	Less than 10 m in height	5.00	35,000.00	4.00	30,000.00		
(2)	Above 10 m but not exceeding 15m in height	7.00	50,000.00	6.00	40,000.00		
(3)	Above 15 m and up to 24 m in height	10.00	1,00,000,00	8.00	75,000.00		
(4)	Above 24 m in height	15.00	1,50,000.00	10.00	1,00,000.00		
3.7	MERCANTILE BUILDINGS (F)						
	F-1 and F-2		ļ <u>.</u>	<u></u>			
(a)	<u> </u>		<del> </del>	<del></del>			
(1)	Less than 15m in height	1		1	<b>{</b> .		


Sr. No.	Type of Building Occupancy	Special Plannir	ng Authorities		Special Planning Authority nicipal Limits			
<b>-1</b>	2	3		4				
		Fee in Rs. Per Sq.mt.	Subject to Minimum of Rs.	Fee in Rs. Per Sq.mt.	Subject to Minimum of Rs.			
	1	(1)	(2)	(1)	(2)			
. ,	(i) Ground plus one storey, with total covered area not exceeding 500 m2	5.00	30,000.00	4.00	25,000.00			
	(ii) Ground plus one storey and covered area exceeding 500 m2	7.00	35,000.00	6.00	30,000.00			
	(iii) More than ground plus one storey	00.8	50,000.00	8.00	40,000.00			
(Ž)	Above 15 m but not exceeding 24 m in height	. 10.00	1,00,000.00	9.00	75,000.00			
(3)	Above 24 m but not exceeding 30 m in height	15.00	1,50,000.00	12.00	1,00,000,00			
(b)	Underground shopping complex (F-3)			,				
	INDUSTRIAL BUILDINGS (G)		,		***************************************			
(a)	Low Hazard (G-1)							
(1)	Up to 18m in height			<u> </u>				
	(i) Covered area up to 50 m2	5.00	30,000,00	4.00	25,000.00			
	(ii) Covered area above 50m2 and up to 100 m2	7.00	40,000.00	6.00	30,000.00			
	(iii) Covered area above 100 m2 and up to 200 m2	10.00	75,000.00	8.00	50,000.00			
	(iv) Covered area above 200 m2 and up to 400 m3	15.00	1.00,000.00	.12.00	75,000.00			
	(v) Covered area above 400 m2	20.00	1,50,000.00	15.00	1,25,000.00			
(b)	Moderate Hazard (G-2)							
(1)	Up to 18 m in height			<del> </del>				
	(i) Covered area up to 100 m2	5.00	30,000.00	4.00	25,000.00			
	(ii) Covered area above 100m2 and up to 250 m2	7.00	75,000.00	6.00	50,000.00			
	(iii) Covered area above 250 m2 and up to 500 m2	10.00	1,00,000.00	8.00	75,000.00			
	(iv) Covered area above 500 m2	15.00	1,50,000.00	12.00	1,25,000.00			

Sr. No.	Type of Building Occupancy	Special Plannir	ng Authorities		Special Planning Authority nicipal Limits
1	7 2	3			4
	1	Fee in Rs. Per Sq.ml.	Subject to Minimum of Rs.	Fee in Rs. Per Sq.mt.	Subject to Minimum of Rs.
	<del>                                     </del>	. (1)	(2)	(1)	(2)
(c)	High Hazard (G-3)			,	
(1)	(A) Up to 15 m in height				
`	(i) Covered area up to 50m2	5.00	35,000.00	4.00	30,000.00
	(ii) Covered area above 50 m2 and up to 150 m2	7.00	40,000.00	6.00	35,000.00
	(iii) Covered area above 150 m2 and up to 300 m2	10.00	60,000,00	. 8.00	50,000,00
;	(iv) Covered area above 300 m2 and up to 500 m2	. 15.00	1,00,000.00	12.00	75,000.00
	(v) Covered area above 500 m2	20.00	2,00,000.00	15.00	1,50,000.00
	(B) Cross Country Pipelines carrying hazardous	20.00 per mtr	2,00,000.00	15.00 per mtr	1,50,000.00
	Gases and Petroleum products.	<u> </u>			
	STORAGE BUILDINGS (H)				,
(1)	Up to 15 m in height	<del></del>			
. 3	(i) Single Storey Building	10.00	30,000.00	8.00	25,000,00
	(ii) Ground plus one floor	15.00	40,000.00	12.00	30,000.00
(3)	Above ground plus one floor	20.00	50,000.00	18.00	40,000.00
,	HAZARDOUS BUILDINGS (J)				
(1)	Up to 15 m in height	†	<del>                                     </del>	· · · · · · · · · · · · · · · · · · ·	
<u> </u>	(i) Single Storey Building	15.00	35,000.00	12.00	30,000,00
	(ii) More than one floor building but not exceeding 15 m	20.00	50,000.00	18.00	40,000.00

Note: In this Schedule (1) wherever the expression "Not Allowed" is mentioned, it indicates that the construction of such type of building is not permitted in the respective areas.

(2) " High Hazard " buildings shall include Petrol Pump, Gas Stations and other hazardous installations.

(3) The expression " per sq.mt." shall have relation to the square metres of the built-up area.





# महाराष्ट्र शासन राजपत्र

### असाधारण

प्राधिकृत प्रकाशन

गुरुवार, मार्च ८, २००७/फाल्गुन १७, शके १९२८

स्वतंत्र संकलन म्हणून फाईल करण्यासाठी या भागाला वेगळे पृष्ठ क्रमांक दिले आहेत.

# भाग आठ

महाराष्ट्र विधानमंडळाचे अधिनियम व राज्यपालांनी प्रख्यापित केलेले अध्यादेश व केलेले विनियम आणि विधि व न्याय विभागाकडून आलेली विधेयके (इंग्रजी अनुवाद).

### **ERRATA**

In the Maharashtra Fire Prevention and Life Safety Measures Act, 2006 (Mah. III of 2007), published at pages 12-66 of the *Maharashtra Government Gazette*, Part VIII, Extraordinary, dated the 5th February 2007,—

- (a) On page 13, in line 11, for "constructed" read "construed";
- (b) On page 51, in column 2, for "INSTITUTIONAL BUILDINGS ©" read "INSTITUTIONAL BUILDINGS (C)";
- (c) On page 58, in column 2, for "INSTITUTIONAL BUILDINGS @" read "INSTITUTIONAL BUILDINGS (C)";

(७३)



# असाधारण भाग आठ

वर्ष १, अंक १५(३)]

सोमवार, एप्रिल ६, २०१५/चैत्र १६, शके १९३७

पुष्ठे ४, किंमत : रुपये २७.००

# असाधारण क्रमांक ३३

# प्राधिकृत प्रकाशन

महाराष्ट्र विधानमंडळाचे अधिनियम व राज्यपालांनी प्रख्यापित केलेले अध्यादेश व केलेले विनियम आणि विधि व न्याय विभागाकड्न आलेली विधेयके (इंग्रजी अनुवाद).

In pursuance of clause (3) of article 348 of the Constitution of India, the following translation in English of the Maharashtra Fire Prevention and Life Safety Measures (Amendment) Act, 2015 (Mah. Act No. XII of 2015), is hereby published under the authority of the Governor.

By order and in the name of the Governor of Maharashtra,

M. A. SAYEED, Principal Secretary and R.L.A. to Government, Law and Judiciary Department.

## MAHARASHTRA ACT No. XII OF 2015.

(First published, after having received the assent of the Governor in the "Maharashtra Government Gazette", on the 6th April 2015)

> An Act to amend the Maharashtra Fire Prevention and Life Safety Measures Act, 2006.

Mah. III WHEREAS it is expedient to amend the Maharashtra Fire Prevention of 2007. and Life Safety Measures Act, 2006, for the purposes hereinafter appearing; it is hereby enacted in the Sixty-sixth Year of the Republic of India as follows:

1. This Act may be called the Maharashtra Fire Prevention and Life Short title. Safety Measures (Amendment) Act, 2015.

Mah. III of 2007.

2. In section 3 of the Maharashtra Fire Prevention and Life Safety Amendment Measures Act, 2006 (hereinafter referred to as "the principal Act"),—

(a) in sub-section (1), in the Explanation, after the words and 2007. figures "the National Building Code of India, 2005" the words and brackets "or, as the case may be, the parameters laid down, from time to

of section 3 of Mah. III of

time, by the National Fire Protection Association Institution (U.S.A.)", shall be inserted;

- (b) after sub-section (1), the following sub-section shall be inserted, namely:—
  - "(1A) Notwithstanding anything contained in sub-section (1) or any other provision of this Act or any other law for the time being in force, building above 30 meters in height but not exceeding 45 meters in height may be permitted, in case of occupancies specified as (C-1) in Schedule-I, that is to say, Hospitals, Sanatoria and Nursing Homes, if such building fulfills the minimum requirement of fire fighting installations specified in Schedule-I.";
- (c) after sub-section (2), the following sub-section shall be inserted, namely:—
  - "(2A) Notwithstanding anything contained in sub-section (2) or in any other law for the time being in force, the State Government may, upon a request by a planning authority, permit the authority empowered to sanction the construction plan of any building or part of a building and to issue certificate of completion of or part thereof, to issue such certificate, in respect of a building exceeding 45 meters in height in case of occupancies specified as (C-1) in Schedule-I, that is to say, Hospitals, Sanatoria and Nursing Homes, if such building fulfills the minimum requirement of fire fighting installations specified in Schedule-I.".

Amendment of Schedule-I to Mah. III of 2007.

# 3. In Schedule-I to the principal Act,—

(a) under the heading "INSTITUTIONAL BUILDINGS (C)", under sub-heading "(a) Hospitals, Sanatoria and Nursing Homes (C-1)", after entry (3), the following entries shall be added, namely:—

"(4	Above 30m and not exceeding 45 m in height	R	R	NR	R	R	R	R	R	R	1,50,000	30,000	2,400	NR
(5)	Above 45m in height	R	R	NR	R	R	R	R	R	R	1,50,000+ 5,000 per 5m above 45m	30,000+ 5,000 per 5m above 45m	1,000 per 5m	NR";

### (b) in the NOTES,—

- (I) in Note 12, for the word and letter "Group C" the words, letters and figures "Group C-2, Group C-3" shall be substituted;
  - (II) after Note 12, the following Notes shall be inserted, namely:—
  - "12A. Building above 30m in height but not exceeding 45m in height may be permitted for Group C-1 occupancies, provided it complies or, is in consonance with the parameters laid down, from time to time, by the National Fire Protection Association Institution (U.S.A.) in respect of such occupancies.
  - **12B.** Building above 45m in height may be permitted for Group C-1 occupancies, in the manner provided by sub-section (2A) of section 3, provided it complies or, is in consonance with the parameters laid down, from time to time, by the National Fire Protection Association Institution (U.S.A.) in respect of such occupancies.".

# 4. In Schedule-II to the principal Act,—

Amendment of Schedule-II to Mah. III of 2007.

(a) in PART-I, under the heading "INSTITUTIONAL BUILDINGS (C)", under sub-heading "(a) Hospitals, Sanatoria and Nursing Homes (C-1)", after entry (3), the following entries shall be inserted, namely:—

<b>"</b> (4)	Above	20.00	1 50 000	15 00	1,00,000	12.00	75,000	6.00	30,000	5.00	15,000
(1)	30m	20.00	1,50,000	10.00	1,00,000	12.00	10,000	0.00	00,000	0.00	10,000
	and not										
	exceeding										
	45 m in										
	height										
(5)	Above	25.00	2,00,000	18.00	1,20,000	15.00	90,000	7.00	40,000	6.00	20,000";
	45m in										
	height										

(b) in PART-II, under the heading "INSTITUTIONAL BUILDINGS (C)", under sub-heading "(a) Hospitals, Sanatoria and Nursing Homes (C-1)" after entry (3), the following entries shall be inserted, namely:—

"(4)	Above 30m and not exceeding 45 m in height	10.00	50,000.00	Not Allowed	Not Allowed	Not Allowed
(5)	Above 45m height	15.00	75,000.00	Not Allowed	Not Allowed	Not Allowed";



# महाराष्ट्रं शासन राजपत्र असाधारण भाग आठ

वर्ष ९, अंक २६]

गुरुवार, मे ११, २०२३/वैशाख २१, शके १९४५

पृष्ठे ३७, किंमत : रुपये २७.००

commencement.

# असाधारण क्रमांक ४२ प्राधिकृत प्रकाशन

महाराष्ट्र विधानमंडळाचे अधिनियम व राज्यपालांनी प्रख्यापित केलेले अध्यादेश व केलेले विनियम आणि विधि व न्याय विभागाकडून आलेली विधेयके (इंग्रजी अनुवाद).

In pursuance of clause (3) of article 348 of the Constitution of India, the following translation in English of the Maharashtra Fire Prevention and Life Safety Measures (Amendment) Act, 2023 (Mah. Act No. XXIV of 2023), is hereby published under the authority of the Governor.

By order and in the name of the Governor of Maharashtra,

# SATISH WAGHOLE,

Secretary (Legislation) to Government, Law and Judiciary Department.

# MAHARASHTRA ACT NO. XXIV Of 2023.

(First published, after having received the assent of the Governor in the "Maharashtra Government Gazette", on the 11th May 2023).

An Act further to amend the Maharashtra Fire Prevention and Life Safety Measures Act, 2006.

Mah. III of 2007.

भाग आठ-४२-१

WHEREAS, it is expedient further to amend the Maharashtra Fire Prevention and Life Safety Measures Act, 2006, for the purposes hereinafter appearing; it is hereby enacted in the Seventy-fourth Year of the Republic of India as follows:—

- 1. (1) This Act may be called the Maharashtra Fire Prevention and Life Short title Safety Measures (Amendment) Act, 2023.
- (2) It shall come into force on such date as the State Government may, by notification in the *Official Gazette*, appoint.

(१)

Amendment of section 2 of 2007.

- 2. In section 2 of the Maharashtra Fire Prevention and Life Safety Measures Mah. III Mah. III of Act, 2006 (hereinafter referred to as "the principal Act"),—
- - (1) in clause (1), for the *Explanation*, the following *Explanation* shall be substituted, namely:—
    - " Explanation.— For the purposes of this Act, the expression "building" shall also include the temporary structure such as tents, shamiyanas and the tarpaulin shelters erected for temporary and ceremonial occasions;";
  - (2) in clause (4), for the words "Fire Services" the words "Fire and Emergency Services" shall be substituted;
    - (3) after clause (4), the following clause shall be inserted, namely:—
    - "(4A) " Fire and Emergency Services" means services required to be rendered by any local authority or planning authority or any other such authority notified by the State Government, in case of manmade or natural disaster or any eventuality, where the life or property is at risk;";
  - (4) in clause (5), for the words and figures "National Building Code of India, 2005" the words "National Building Code of India" shall be substituted;
    - (5) for clause (6), the following clause shall be substituted, namely:—
    - "(6) "Licensed Agency" means a person or an association of persons licensed by the Director for undertaking or executing fire prevention and life safety measures or performing such other related activities required to be carried out under this Act;";
  - (6) in clause (8), for the words and figures "National Building Code of India, 2005" the words "National Building Code of India" shall be substituted:
  - (7) in clause (9), for the words "and includes an officer nominated by a local authority or a planning authority" the words "or by a local authority or a planning authority "shall be substituted;
  - (8) for clause (14), the following clause shall be substituted, namely:
    - " (14) " relevant municipal law " means,—
      - (a) the Mumbai Municipal Corporation Act;

1888.

III of

(b) the Maharashtra Municipal Corporations Act;

LIX of 1949.

(c) the Maharashtra Municipal Councils, Nagar Panchayats and Industrial Townships Act, 1965;".

Mah. XL of 1965.

- 3. In section 3 of the principal Act,—
  - (1) in sub-section (1),—

- Amendment of section 3 of Mah. III of 2007.
- (a) for the portion beginning with the words "Without prejudice to the provisions" and ending with the words "provisions of this Act or the rules", the following shall be substituted, namely:—
  - "Without prejudice to the provisions of any law for the time being in force or the rules, regulations or bye-laws made thereunder or the National Building Code of India, relating to fire prevention and life safety measures, the owner, or where the owner is not traceable, the occupier of any building as classified in Schedule-I or part of any such building, shall obtain necessary Provisional Fire Safety Approval or Final Fire Safety Approval or Renewal of Fire Safety Approval, as the case may be, from the Chief Fire Officer of the concerned local authority or planning authority; and where there is no Chief Fire Officer in such area or in the area outside the limits of the local authority or planning authority, from the Director. The owner or occupier shall provide fire prevention and life safety measures as recommended in the respective Fire Safety Approval, which shall not be less than the minimum requirements of fire safety installations prescribed in Part 4 of the National Building Code of India or any relevant Part thereof and as specified against such building in Schedule-I as applicable from time to time and shall maintain the fire prevention and life safety measures in good repair and efficient condition at all times, in accordance with the provisions of this Act and the rules made thereunder:";
- (b) after the proviso, for the *Explanation*, the following *Explanation* shall be substituted, namely:—

"Explanation.—For the purposes of this sub-section,—

- (a) "Provisional Fire Safety Approval" means the recommendation given by the Director or Chief Fire Officer of the concerned local authority or planning authority as per the fire prevention and life safety measures as provided by or under this Act and the rules made thereunder at the time of building plan approval and before the construction thereof;
- (b) "Final Fire Safety Approval" means the certificate issued by the Director or Chief Fire Officer of the concerned

local authority or planning authority after ascertaining that the fire prevention and life safety measures are in accordance with Provisional Fire Safety Approval before granting building completion certificate or occupancy certificate by the appropriate authority;

(c) "Renewal of Fire Safety Approval" means the renewal of a certificate issued by the Director or Chief Fire Officer of the concerned local authority or planning authority:

Provided that, renewal certificate shall be issued by the said authority, if required or mandatory as per the relevant Acts, Rules, etc.";

- (2) after sub-section (1A), the following sub-sections shall be inserted, namely :—
  - "(1B) Notwithstanding anything contained in sub-section (1) or any other provisions of this Act or any other law for the time being in force,—
    - (a) buildings above 30 meters in height but not exceeding 45 meters in height may be permitted in the areas of Municipal Corporation and Special Planning Authority, in case of occupancies specified as (B) in Schedule-I, that is to say Educational Buildings, if such building fulfils the minimum requirements of fire prevention and life safety measures as recommended in the respective Fire Safety Approval and which shall not be less than the minimum requirements for fire fighting installations specified in the Schedule-I;
    - (b) in areas outside the limits of the Municipal Corporation and Special Planning Authority, the State Government may permit the authority empowered to sanction the construction plan on its request, to issue such certificate, in respect of buildings exceeding 30 meters in height in case of occupancies specified as (B) in Schedule-I, that is to say Educational Buildings, if such buildings fulfils the minimum requirements of fire prevention and life safety measures as recommended in the respective Fire Safety Approval and which shall not be less than the minimum requirements for fire fighting installations specified in Schedule-I;
  - (1C) Notwithstanding anything contained in sub-section (1) or any other provisions of this Act or any other law for the time being in force, building above 15 meters in height but not exceeding 24

meters in height, Multi-Level Car Parking (MLCP) upto 45 meters, Mechanised Automated Car Parking attached to minimum one side of the building or stand alone structure upto 100 meters, or any such other structure used for utility purpose such as storage of Diesel Generators (DG) Sets, may be permitted, in case of occupancies specified as (H) in Schedule-I, that is to say storage buildings, if such buildings fulfils the minimum requirements of fire prevention and life safety measures as recommended in the respective Fire Safety Approval and which shall not be less than minimum requirements of fire fighting installations specified in Schedule-I.";

- (3) after sub-section (3), the following sub-section shall be inserted, namely:—
  - "(3A) For the building as specified under section 45, the owner, or where the owner is not traceable, the occupier of a building, shall ensure that the fire fighting systems as recommended in the relevant Fire Safety Approval, is provided with automated continuous monitoring system as may be prescribed for ensuring that the fire fighting systems are in good repair and efficient working condition and these shall be certified by the Licensed Agency in the prescribed form and the manner and shall submit the same to the concerned authority in the manner as may be prescribed.".

# In section 9 of the principal Act,—

Amendment of section 9 of 2007.

4

- (1) for the words "Chief Fire Officer", wherever they occur, the word Mah. III of "Director" shall be substituted;
- (2) in sub-section (2), for the words "a court-fee stamp of five rupees" the words "such court-fee stamp as may be prescribed" shall be substituted;
- (3) in sub-section (3), for the words "one year" the words "two years" shall be substituted;
  - (4) sub-section (5) shall be deleted.
- 5. In section 10 of the principal Act, in sub-section (1), in the proviso, for Amendment the words "Chief Fire Officer" the word "Director" shall be substituted.

of section 10 of Mah. III of 2007.

# In section 11 of the principal Act,—

Amendment of section 11 2007.

- (1) for sub-sections (1) and (2), the following sub-sections shall be of Mah. III of substituted, namely:—
  - "(1) With effect from the date of commencement of the Maharashtra Fire Prevention and Life Safety Measures (Amendment) Act, 2023, and subject to the provisions of this Act, there shall be

Mah.XXIV of 2023. levied a Fire and Emergency Service Fee, for the purposes of this Act on all owners or occupiers, as the case may be, of buildings as classified in *Schedule-II* (hereinafter, in this Chapter, referred to as "the said *Schedule*"), within the areas of a local authority or a planning authority (hereinafter, save as otherwise mentioned, throughout in this Act, collectively referred to as "the Authority"), or other areas, to which this Act applies.

(2) The rate of such fee, in respect of each type of building situated within the area of any of the Authority and the areas to which this Act applies, shall be such as specified in *Schedule-II*.";

# (2) in sub-section (3),—

(a) for the words "The Authority may" the words "The Authority, and in the areas outside the limits of the Authorities to which this Act applies, the Director may," shall be substituted;

# (b) in the proviso,—

- (i) for the words "the Authority may," the words "the Authority, and in the areas outside the limits of the Authorities to which this Act applies, the Director may," shall be substituted;
- (ii) for the words "the minimum rate specified in the said Schedule" the words "the rate specified in the said Schedule" shall be substituted;

## (3) in sub-section (4),—

- (a) after the words "the Authority" the words "or the Director" shall be inserted;
- (b) for the words "Fire Services" the words "Fire and Emergency Services" shall be substituted.

# 7. In section 12 of the principal Act,—

- (1) after sub-section (1), the following sub-section shall be inserted, namely:—
  - "(1A) The Director, on receipt of an application or *suo moto*, before enhancing or reducing the enhanced rate and levying the fee at such rate, shall obtain the previous sanction of the State Government to the proposal.";
- (2) in sub-section (2), after the words "the Authority" the words "or the Director" shall be inserted;
- (3) in sub-section (3), in clause (a), after the words "The Authority" the words "or the Director" shall be inserted;

Amendment of section 12 of Mah. III of 2007.

(4) in the marginal note, after the word "Authority" the words "or Director" shall be inserted.

# In section 13 of the principal Act,—

Amendment of section 13

- (1) in sub-section (1), for the portion beginning with the words "the of Mah. III of minimum fees specified" and ending with the words "Parts of the said Schedule" the words and letters "the fees specified against each type of building in the said Schedule" shall be substituted;
- (2) in sub-section (2), for the words "The Authority may" the words "The Authority, and in the areas outside the limits of the Authorities to which this Act applies, the Director may" shall be substituted.

# **9.** In section 14 of the principal Act,—

Amendment of section 14

- (1) in sub-section (1), for the words "the Authority", at both the  $_{2007.}^{\text{of Mah. III of}}$ places where they occur, the words "the Authority, and in the areas outside the limits of the Authorities to which this Act applies, the Director," shall be substituted;
- (2) in sub-section (2), for the words "the Authority", wherever they occur, the words "the Authority, and in the areas outside the limits of the Authorities to which this Act applies, the Director" shall be substituted;
- (3) in sub-section (4), for the words "the Authority", wherever they occur, the words "the Authority, and in the areas outside the limits of the Authorities to which this Act applies, the Director," shall be substituted;
- (4) in sub-section (6), for the words "the Authority", at both the places where they occur, the words "the Authority, and in the areas outside the limits of the Authorities to which this Act applies, the Director," shall be substituted;
- (5) in sub-section (7), in clause (b), for the words "the Authority" the words "the Authority, and in the areas outside the limits of the Authorities to which this Act applies, the Director," shall be substituted.

## **10.** In section 16 of the principal Act,—

Amendment of section 16

- (1) for sub-section (1), the following sub-section shall be substituted,  $_{2007}^{\text{of Mah. III of }}$ namely:
  - "(1) Where it appears to the State Government that the balance of the Fire Protection Fund of any Authority or Director is insufficient for meeting any expenditure required to be incurred for purchasing and maintaining fire fighting equipments and property and for maintenance thereof or for creating posts of officers, staff and servants for meeting the requirements to provide Fire and Emergency Services

or generally, for performance of fire fighting operations; or that such balance is more than the requirements for the purposes aforesaid, the State Government may, by notification in the Official Gazette, require the Authority or Director to enhance the rate of fee or reduce the enhanced fee, if any, at such rate as may be specified in the said notification.";

(2) in the marginal note, after the word "Authority", the words "or Director" shall be inserted.

Amendment of Chapter V 2007.

11. In Chapter V, for the heading "DIRECTOR OF FIRE SERVICES" of Mah, III of the heading "DIRECTOR OF FIRE AND EMERGENCY SERVICES" shall be substituted.

Amendment of section 18 of Mah. III of 2007

- 12. In section 18 of the principal Act,—
- (1) in sub-section (1), for the words "Director of Fire Services" the words "Director of Fire and Emergency Services" shall be substituted;
- (2) in sub-section (2), for the words "fire services" the words "Fire and Emergency Services" shall be substituted.

Amendment of section 19 of Mah. III of 2007.

- 13. In section 19 of the principal Act,—
  - (1) the words, brackets and figure "sub-section (3) of" shall be deleted;
- (2) for the words "fire services" wherever they occur, the words "Fire and Emergency Services" shall be substituted.

Amendment of section 21 of Mah. III of 2007.

- 14. In section 21 of the principal Act,—
- (1) in sub-section (1), for the words "fire services" the words "Fire and Emergency Services" shall be substituted;
- (2) in the marginal note, for the words "fire services" the words "Fire and Emergency Services" shall be substituted.

Amendment of section 22 of Mah. III of 2007.

- 15. In section 22 of the principal Act,—
- (1) for the words "Fire Service", "fire service", "fire services" or "fire service or services", wherever they occur, the words "Fire and Emergency Services" shall be substituted:
- (2) in the marginal note, for the words "Maharashtra Fire Services" the words "Maharashtra Fire and Emergency Services" shall be substituted.

Amendment **16.** In section 24 of the principal Act, for the words "fire service" the of section 24 of Mah. III of words "Fire and Emergency Services" shall be substituted. 2007.

# 17. In section 27 of the principal Act,—

(1) in sub-section (1),—

- Amendment of section 27 of Mah. III of 2007.
- (a) for the words "of fire" the words "of fire or any emergency situation" shall be substituted:
- (b) in clause (a), for the words "for extinguishing the fire or for saving life or property" the words "for extinguishing the fire or responding to any emergency situation for saving life or property" shall be substituted;
- (c) in clause (b), after the words "fire is burning" the words "or any emergency situation has arisen" shall be inserted;
- (d) in clause (c), after the words "extinguishing fire" the words "or dealing with any emergency situation" shall be inserted;
- (e) in clause (e), after the words "fire-fighting" the words "or handling of any emergency situation" shall be inserted;
- (f) in clause (f), for the words "extinguishing the fire or the protection of life or property" the words "extinguishing the fire or dealing with any emergency situation for the protection of life or property" shall be substituted;
- (2) for sub-section (2), the following sub-section shall be substituted, namely:-
  - "(2) Any damage done to any premises or property, on the occasion of fire or any emergency situation, by members of the Fire and Emergency Services in the due discharge of their duties shall be deemed to be damage by fire or any emergency situation within the meaning of any policy of insurance against fire or insurance for any emergency situation.";
- (3) after sub-section (2), the following Explanation shall be added, namely:-

"Explanation.— For the purpose of this section, the expression "emergency situation" means any manmade or natural disaster or any eventuality where the life or property is at risk.";

- (4) in the marginal note, after the word "fire" the words "or any emergency situation" shall be added.
- 18. In section 29 of the principal Act.—

Amendment of section 29

- (1) after the words "fire-fighting purposes" the words "or dealing of Mah. III of with any emergency situation" shall be inserted;
- (2) for the word "fires" the words "fires or any emergency situation" shall be substituted.

Amendment of section 32 of Mah. III of 2007.

- **19.** In section 32 of the principal Act, in sub-section (1),—
  - (1) before clause (a), the following clause shall be inserted, namely:— "(1-a) Fire Safety Approval issued under sub-section (1) of section 3, or";
  - (2) after clause (b), the following clause shall be inserted, namely:— "(bb) order under sub-section (3) or (4) of section 9, or";
  - (3) after clause (c), the following clause shall be inserted, namely:— "(d) order under sub-section (5) or (6) of section 45A;".

Amendment of section 33 of Mah. III of 2007.

- **20.** In section 33 of the principal Act, in clause (a),—
- (1) for sub-clause (i), the following sub-clause shall be substituted, namely:
  - "(i) under clause (1-a), (a), (b), (bb) or (d) of sub-section (1) of section 32 is brought within thirty days from the date of issue of Fire Safety Approval or from the date of service of notice or the date on which the refusal is communicated to the appellant or from the date of issue of order;";
- (2) in the proviso, for the words "fifteen days" the words "thirty days" shall be substituted.

Amendment of section 45 of Mah. III of

- 21. In section 45 of the principal Act, in sub-section (1), the heading "Building with height more than 30 meters and used for,—" shall be numbered as clause (a) and after clause (a), as so numbered, the following clause shall be added, namely:
  - "(b) Building used as,—
    - (1) residential building with height more than 70 meters;
  - (2) large oil and natural gas installation such as refineries, LPG bottling plant and other similar facilities;
  - (3) industrial building with moderate hazardous activities in nature having built up area 30,000 square meters or more and industrial building with high hazardous activities in nature having built up area of 10,000 square meters or more.".

Insertion of section 45A in 2007.

After section 45 of the principal Act, the following section shall be Mah. III of inserted, namely :-

Fire and Life Safety Audit of certain buildings.

**"45A**. (1) (a) Fire and Life Safety Audit shall be carried out by the owner, or where the owner is not traceable, the occupier of a building, for all the occupancies mentioned in sub-section (1) of section 45 by licensed Mah. XXIV of 2023.

Fire and Life Safety Auditor and such Fire and Life Safety Audit shall be carried out within a period of one year from the date of commencement of Maharashtra Fire Prevention and Life Safety Measures (Amendment) Act, 2023 and thereafter, once in every two years.

(b) The owner or occupier, as the case may be, shall furnish to the Director or Chief Fire Officer or the nominated officer, a certificate in the prescribed form issued by a licensed Fire and Life Safety Auditor regarding the evaluation of the fire prevention and life safety measures in his such building or part thereof, as required by or under the provisions of this Act or rules made thereunder.

Explanation.—For the purposes of the Act, the expression "Fire and Life Safety Audit" means the evaluation of fire prevention and life safety measures required as per prevalent Acts or rules or National Building Code of India in force.

- (2) The Director may grant any person or association of persons as he thinks fit, a licence to act as a Fire and Life Safety Auditor for the purposes of this Act possessing such qualifications and experience as may be prescribed.
- (3) The duties and responsibilities of such auditor shall be such as may be prescribed.
- (4) Any person intending to have or renew such licence shall apply to the Director in the prescribed form and in the prescribed manner. Such application shall bear such court-fee stamp as may be prescribed and shall be accompanied by the prescribed fee.
- (5) On receipt of such application, the Director may, after holding such inquiry as he deems fit, either grant the licence in the prescribed form for a period of two years or renew the same for a like period or, for reasons to be recorded in writing, by order refuse to grant or renew the licence.
- (6) Where the Director has reason to believe that any person to whom a licence has been granted has contravened any provisions of this Act or of the rules made thereunder or failed to comply with the conditions of the licence or is unfit by reason of incompetency, misconduct or any other grave reason, the Director may, after giving reasonable opportunity to show cause, for reasons to be recorded in writing, by order suspend or cancel the licence.
- (7) No person other than a licensed Fire and Life Safety Auditor shall carry out the work of fire audit or perform such other related activities required to be carried out in any place or building or part thereof.

(8) No Fire and Life Safety Auditor or any other person claiming to be such Fire and Life Safety Auditor shall give a certificate under subsection (1) regarding the evaluation of the fire prevention and life safety measures are in good and efficient condition, without there being actual such fire prevention and life safety measures.".

Insertion of section 48A in 2007.

23. After section 48 of the principal Act, the following section shall be Mah. III of inserted, namely :-

Power to amend Schedule-I.

- "48A. (1) Where the State Government is satisfied that it is necessary or expedient to do so, for the purposes of implementation of any Part of the National Building Code of India relating to protection of life and property, it may, by notification in the Official Gazette, amend Schedule-I and thereupon, the said Schedule shall be deemed to have been amended accordingly.
- (2) Every notification issued under sub-section (1) shall be laid before each House of State Legislature.".

Substitution of Schedule-I -II of Mah. III of 2007.

**24.** For Schedule-I and Schedule-II appended to the principal Act, the and Schedule following Schedules shall be substituted, namely:—

" SCHEDULE 1
(See section 3 (1))
Minimum Requirement for Fire Fighting Installation

ity	Pump at the Terrace Tank Level	(14)	(1.1)		NR
Pump Capacity	Fire Pump Pur Near Tail Condension Nation Water Storage Tank	(13)			NR
Water Supply	Terrace Fank (Note 9)	(12)			5 000 (Note 5)
Water		cduind to			N R
	Automatic Detection and Alarm System (Note 2)	(01)			NR.
	Manually Operated Electronic Fire Alarm Systems	(6)			NR
ıtion	Automatic Sprinkler System	(8)	,		R (Note 4)
Type of Installation	Yard Hydrant	(2)			NR
Type	Down	(9)			NR
	Wet Riser	(5)		,	NR
	First Aid Hose Reel	(4)			NR
	Fire Extinguisher	(3)	ILDINGS (A		χ.
Type of Building	Occupancy	(2)	RESIDENTIAL BUILDINGS (A)	Lodging and Rooming Houses (A- 1) and One or two Family Private Dwellings (A-2) (see	Less than 15 m in height
Sr. No.		(1)	RESI	(a)	$\equiv$

apacity min)	Pump at the Terrace Tank Level	(14)	006	NR		450 (450) (Note 6)
Pump Capacity (in Vmin)	Fire Pump Near Underground Static Water Storage Tank	(13)	Z Z	(Note 10)		N
Water Supply (in I)	Terrace Tank (Note 9)	(12)	25 000	5 000		5 000 (5 000) (Note 6)
Water (i)	Under- ground Static Water Storage Tank Capacity for one set	(11)	NR	75 000		NR
	Automatic Detection and Alarm System (Note 2)	(01)	NR	Я .		NR
	Manually Operated Electronic Fire Alarm ·Systems	6)	ж	Я		ZX
tion	Automatic Sprinkler System	(8)	R (Noie 4)	R (Note 4, Note 15(a))		R (Note 4)
of Installation	Yard Hydrant	(7)	Z Z	Z Z		Z.
Type	Down	(9)	~	X X		Z Z
	Wet Riser	(5)	X X	<b>x</b>		N.
	First Aid Hose Reel	(4)	K.	α α		<b>~</b>
	Fire Extinguisher	(3)	ĸ	X		M.
Type of Building	Occupancy	(2)	15 m and above but not exceeding 35 m in height	Above 35 m but not exceeding 45 m in height	Dormitories (A-3) Apartment Houses (A-4) (Notes 8 and 22)	Less than 15 m in height
Sr. No.		(3)		(9)	<b>(</b> 9)	(1)

Sr. No.	Type of Building				Type	of Installation	ation			Water	Water Supply	Pump Capacity	apacity
	Occupancy	Fire Extinguisher	First Aid Hose Reel	Wet Riser	Down	Yard	Automatic Sprinkler System	Manually Operated Electronic Fire Alarm Systems	Automatic Detection and Alarm System (Note 2)	Under- ground Static Water Storage Tank Capacity for one set	Tank (Note 9)	Fire Pump Pur Near Near Ta Static Water Storage Tank	Pump at the Terrace Tank Level
(3)	(2)	(3)	(4)	(5)	(9)	(2)	(8)	(6)	(10)	(II)	(12)	(13)	(14)
(2)	15 m and above but not exceeding 35 m in height	ж	R	Z Z	×	N. R.	R (Note 4)	~	Z Z	X X	25 000	N R	006
(3)	Above 35 m but not exceeding 45 m in height	Ж	Я	R	NR	NR .	R (Note 4, Note 15(a))	<b>~</b>	N N	75 000	2 000	(Note 10)	NR
(4)	Above 45 m in height but not exceeding 60 m in height	æ	ಜ	Ж	NR	~	R (Notes 15(a) and 15(b))	~	X X	150 000	10 000	(Note 11)	NR
(5)	Above 60 m in height	<b>~</b>	~	×	N R	<b>~</b>	R ( <i>Note</i> 15(b))	R	R	200 000	10 000	(Notes 12 and 13)	NR
<b>②</b>	Hotels (A-5) ( <i>Notes</i> 8 and 22)	·					,				,		
$\mathbb{E}^{-1}$	Less than 15 m in height				,								

Sr. No.	Type of Building				Type	of Installation	tion			Water	Water Supply	Pump Capacity (in I/min)	apacity
	Occupancy	Fire Extinguisher	First Aid Hose Reel	Wet Riser	Down	Yard Hydrant	Automatic Sprinkler System	Manually Operated Electronic Fire Alarm Systems	Automatic Detection and Alarm System		Tank	Fire Pump Near Underground Static Water Storage Tank	Pump at the Terrace Tank Level
5	(2)	(3)	(7)	(3)	(9)	(7)	(8)	(Note 1)	(Note 2)	for one set of pumps	(Note 9)	(13)	
3	(i) Floor	(5) R	R (£	S N	NR NR	NR	R (8)	R (9)	NR	NR	5 000	(13) NR	(14)
	area not exceeding 500 m <sup>2</sup> on any of the floor						(Note 4)	·			(5000) (Note 6)		(450) (Note 6)
	(ii) Floor area exceeding 500 m² but not more 1 000 m² on any of the floor	~	ಜ	X X	ಜ	NR	R (Note 4)	<u>~</u>	~	N N	20 000 (5000) ( <i>Notes</i> 6 and 7)	NR	450 (450) (Note 6)
	(iii) Floor area exceeding 1 000 m² on any of the floor	×	M.	Я	NR	ਲ	R ( <i>Notes</i> 15 (a) and 15(b))	<u>.</u>	x	000001	10 000 (Note 4)	(Note 10)	ZZ
(5)	15 m and above but not exceeding 30 m	~	м	M.	NR.	ж	R ( <i>Notes</i> 15 (a) and 15(b))	Я	м	150 000	20 000	(Note 10)	Z

	the cel		····					
Pump Capacity	Pump at the Terrace Tank Level	(14)	4	NR		450 (450) (Note 6)	006	Z
Pump C	Fire Pump Pun Near Near Ta Static Water Storage Tank	(13)	and 13)	(Notes 12 and 13)		NR	NR	(Note 14)
Water Supply	Terrace Tank (Note 9)	(12)	0000	20 000		10 000 (5 000) ( <i>Notes</i> 6 and 7)	25 000	(5 000) (Note 6)
Wate	Under- ground Static Water Storage Tank Capacity for one set. of pumps	(11)		250 000		N N	X X	50 000
September 1	Automatic Detection and Alarm System (Note 2)	(10) R		×		N.	NR	NR R
	Manually Operated Electronic Fire Alarm Systems (Note 1)	Ø <b>2</b>	(	×		NR	м	<b>~</b>
ation	Automatic Sprinkler System	(8) R	(Notes 15 (a) and 15(b))	R ( <i>Notes</i> 15 (a) and 15(b))		R (Note 4)	R (Note 4)	R (Note 4)
of Installation	Yard Hydrant	() R		~		N. R.	N N	Z.
Type	Down	% NR NR		Z Z	and 3(f))	~	<b>~</b>	X X
	Wet Riser	(C)		<b>~</b>	<i>ote</i> 3(d)	Z.	X X	ж
	First Aid Hose Reel	R (4)		∝	(see N	~	≃	<b>~</b>
	Fire Extinguisher	(3)		×	UILDINGS (B	<u>ح</u> .	×.	ಜ
Type of Building	Occupancy	(2) Above 30 m	in height	Hotels (A-6)	EDUCATIONAL BUILDINGS (B) (see Note 3(d) and 3(f))	Less than 15 m in height	15 m and above but not exceeding 24 m in height	Above 24 m but not exceeding 30 m in height
Sr. No.		(3)		Đ	EDU	$\odot$	(2)	3)

		7		Τ	
apacity min)	Pump at the Terrace Tank Level	(14)	450		
Pump Capacity (in I/min)	Fire Pump Near Underground Static Water Storage Tank	(13)	(Note 11)		
Water Supply (in I)	Terrace Fank (Note 9)	(12)	(Note 6)	The state of the s	
Wate (	Under- ground Static Water Storage Tank Capacity for one set	(11)	75 000		
	Automatic Detection and Alarm System (Note 2)	(01)	Я		
	Manually Operated Electronic Fire Alarm Systems	(6)	<b>~</b>		
ation	Automatic Sprinkler System	(8)	≃		
Type of Installation	Yard Hydrant	(2)	ع		
Type	Down	(9)	N N	22)	
	Wet Riser	(5)	×.	es 8 and	
	First Aid Hose Reel	(4)	<b>ح</b>	(C) (Not	
	Fire Extinguisher	(3)	<b>~</b>	BUILDINGS (	
Type of Building	Occupancy	(2)	Above 30 m but not exceeding 45 m in height (see note 3 (f))	INSTITUTIONAL BUILDINGS (C) (Notes 8 and 22)	Hospitals, Sanatoria and Nursing Homes (C-1) (see
Sr. No.		0	(4)	INST	(a)

Type of Building					Type	Type of Installation	ıtion			Water	Water Supply	Pump Capacity	apacity
Eine Fine	Eine Eine	11/-4	-	6						- 1	(in l)	(in Vmin)	min)
Occupancy Fire First Wet Down Extinguisher Aid Riser Comer Hose Reel	Extinguisher Aid Riser Hose Reel	First Wet Aid Riser Hose Reel		Down		Yard Hydrant	Automatic Sprinkler System	Manually Operated Electronic Fire Alarm Systems	Automatic Detection and Alarm System	Under- ground Static Water Storage	Tank	Fire Pump Near Underground Static Water Storage Tank	Pump at the Terrace Tank Level
						1.3		(Note 1)	(Note 2)	Capacity for one set	(Note 9)		
(2) (3) (4) (5) (6)	(3) (4) (5)	(5)		(9)		0	(8)	(6)	(01)	(11)	(12)	(13)	(14)
Less than 15 m in height with plot area up to 1 000 m <sup>2</sup>	2					7,000,000							
(i) Up to R R NR NR ground plus one storey, with no beds	A NR	NN N		Z Z		N.	R (Note 4)	<u>.</u>	N.	N N	2500 (2500) (Note 6)	N.	(450) (Note 6)
(ii) Up to R R NR NR ground plus one storey with beds	R R NR	N N		Z.		N. N.	R (Note 4)	×	NR	N N	5 000 (5 000) (Note 6)	NR	450 (450) (Note 6)
(iii) Ground R R NR R plus two or more storeys, with no beds	R R NR	N.		<b>~</b>	1	Z Z	R (Note 4)	α.	~	N N	10 000 (5 000) ( <i>Note.</i> 6)	NR	900 (450) ( <i>Note</i> 6)
(iv) Ground R R R NR plus two or more storeys, with beds	R R	<b>~</b>		Z Z		N N	R ( <i>Notes</i> 15(a) and 15(b)	22	æ	50,000	10 000	(Note 10)	NR

Sr. So.	Type of Building				Type	of Installation	tion			Wate	Water Supply	Pump Capacity	apacity
	Occupancy	Fire Extinguisher	First Aid Hose Reel	Wet Riser	Down Comer	Yard Hydrant	Automatic Sprinkler System	Manually Operated Electronic Fire Alarm Systems	Automatic Detection and Alarm System (Note 2)	Under- ground Static Water Storage Tank Capacity for one set of pumps	Tank Tank (Note 9)	Fire Pump Near Underground Static Water Storage Tank	Pump at the Terrace · Tank Level
0	(2)	(3)	(4)	(5)	(9)	(2)	(8)	6)	(01)	(11)	(12)	(13)	(14)
$\bigcirc$	Less than 15 m in height with plot area more than 1 000 m <sup>2</sup>	<b>~</b>	Я	Я	NR	Ж	R ( <i>Notes</i> :15(a) and 15(b)	м	×	1 00 000	0000	(Note 10)	N N
. (3)	15 m and above but not exceeding 30 m in height	ж	Ж	ĸ		ж	R ( <i>Notes</i> 15(a) and 15(b)	~	~	150 000	20 000	(Note 10)	RN
(4)	Above 30 m and not exceeding 45 m in height	R	~	R	NR	<b>x</b>	R ( <i>Notes</i> 15(a) and 15(b)	~	~	200 000	20 000	(Note 11)	NR
(5)	Above 45 m in height (see note 3 (c)	ĸ	×	M M	NR	<b>x</b>	R ( <i>Notes</i> 15(a) and 15(b)	×	×	200 000+5000 per 5m above 45m	20 000+5000 per 5m above 45m	(Notes 12 and 13)	NR

				Type	Type of Installation	ıtion			Water	Water Supply (in I)	Pump Capacity (in Vmin)	apacity
Fire Extinguisher	ıer	First Aid Hose Reel	Wet Riser	Down	Yard Hydrant	Automatic Sprinkler System	Manually Operated Electronic Fire Alarm Systems	Automatic Detection and Alarm System (Note 2)	Underground Static Water Storage Tank Capacity for one set	Terrace Tank (Note 9)	Fire Pump Near Underground Static Water Storage Tank	Pump at the Terrace Tank Level
(3)		(4)	3	(9)	(2)	(8)	(6)	(01)	(II)	(12)	(13)	(14)
												ma
<b>x</b>		~	N N	N. R.	NR	R (Note 4)	æ	NR.	N. N.	10 000 (5 000) ( <i>Note</i> 6)	NR	450 (450) ( <i>Note</i> 6)
R		×	X X	<b>K</b>	NR	R (Note 4)	×	N N	N N	15 000 (5 000) ( <i>Note</i> 6)	N.	900 (450) ( <i>Note</i> 6)
ж		~	M.	X X	Z.	R (Note 4)	×	×	100 000	5 000 (5 000) (Note 6)	(Note 10)	NR

	o							
apacity nin)	Pump at the Terrace Tank Level	(14)	ਲ 기	X Z				450 (450) ( <i>Note</i> 6)
Pump Capacity (in I/min)	Fire Pump Near Underground Static Water Storage Tank	(13)	(Note 10)	(Note 11)			-	NR
Water Supply (in I)	F 5 1	(12)	10 000	20 000				20 000 (5 000) (Note 6)
Water (i	Underground Static Water Storage Tank Capacity for one set of pumps	(II)	150 000	200 000				N N
	Automatic Detection and Alarm System (Note 2)	(0 <i>L</i> )	ಜ	ĸ				N.
	Manually Operated Electronic Fire Alarm Systems (Note 1)	(6)	<b>~</b>	ĸ				2
ıtion	Automatic Sprinkler System	(8)	R ( <i>Notes</i> 15(a) and 15(b)	R ( <i>Notes</i> 15(a) and 15(b)				R (Note 4)
Type of Installation	Yard Hydrant	(2)	R	ĸ				NR
Type	Down	(9)	ZZ X	ZZ.	2)			ಜ
	Wet Riser	(5)	ಜ	ಜ	8 and 2			N N
	First Aid Hose Reel	(4)	~	<u>۲</u>	lotes 3b,			~
	Fire Extinguisher	(3)	ĸ	K	V) (Q) SDNIQ			æ.
Type of Building	Occupancy	(2)	15 m and above but not exceeding 24 m in height	24 m and above but not exceeding 30 m in height	ASSEMBLY BUILDINGS (D) ((Notes 3b,8 and 22)	Buildings (D-1 TO D- 5)	Less than 10 m in height	(i) Up to 300 persons
Sr. No.		(1)	(3)	(4)	ASSE	(a)	(1)	

Sr. No.	Type of Building				Type	of Installation	ıtion	To provide the second s		Water	Water Supply	Pump Capacity	apacity
	Occupancy	Fire	First	Wet	Down	Yard	Automatic	Manually	Automatic			Fire Pump Pu	Pump at the
		Extinguisher	Aid	Riser	Comer	Hydrant	Sprinkler	Operated	Detection	ground	Tank	Near	Terrace
			Reel			-	3) stelli	Fire	System	Static		Underground Static Water	lank Level
								Alarm		Storage		Storage Tank	
					***************************************			Systems		Tank		ò	
										Capacity	į		
. !								(Note I)	(Note 2)	for one set of pumps	(Note 9)		
- 1	(2)	(3)	( <del>f</del> )	(5)	(9)	(2)	(8)	8	(01)	(11)	(12)	(13)	(14)
	(ii) More	×	2	NR.	R	NR	R (Note 4)	R	NR	NR	25 000	NR	006
	than 300				***************************************		***************************************				(5 000) (Note 6)		
-	A berne 10	c	4	5	į			6					
	Above 10 m but not exceeding 15 m in height	∝	~	œ.	Z Z	æ	R (Notes 15(a) and 15(b))	<b>~</b>	ಜ	100 000	5 000 (5 000) ( <i>Note</i> 6)	(Note 10)	N N
1	Above 15 m but not exceeding 24 m in height	<b>~</b>	~	~	Z Z	~	Ř ( <i>Notes</i> 15(a) and 15(b))	<b>~</b>	×.	150 000	10 000	(Note 10)	N R
1	Above 24 m but not exceeding 30 m in height	~	ಜ	M M	X X	~	R ( <i>Notes</i> 15(a) and 15(b))	α.	~	200 000	20 000	(Note 11)	X X
	Buildings D-6	×	<b>a</b>	<b>x</b>	N N	×	R ( <i>Notes</i> 15(a) and 15(b))	~	~	200 000	20 000	(Note 12)	N.
1													

Sr. No.	Type of Building				Type	of Installation	tion			Water (i)	Water Supply (in 1)	Pump Capacity (in I/min)	apacity nin)
•	Occupancy	Fire Extinguisher	First Aid Hose Reel	Wet Riser	Down	Yard Hydrant	Automatic Sprinkler System	Manually Operated Electronic Fire Alarm Systems	Automatic Detection and Alarm System (Note 2)	Underground Static Water Storage Tank Capacity for one set	Terrace Tank ·	Fire Pump Near Underground Static Water Storage Tank	Pump at the Terrace Tank Level
	(2)	(3)	(4)	(5)	(9)	(0)	(8)	(6)	(01)	sdumd jo	(12)	(13)	(14)
<u> </u>	Buildings D-7					Ref	:D-7 of Table	e 7 of Part 4 o	of National B	Ref: D-7 of Table 7 of Part 4 of National Building Code of India	of India		
BUS	BUSINESS BUILDINGS (E) (Notes 8 and 22)	INGS (E) (No	tes 8 and	(22)									
Ξ	Less than 10 m in height	<b>x</b>	×	X X	~	NR	R (Note 4)	ж	N R	N R	10 000 (5 000) (Note 6)	NR	450 (450) (Note 6)
(2)	Above 10 m but not exceeding 15 m in height	<u>د</u>	<b>X</b>	ਲ	NR	N.R.	R (Note 4)	æ	ω ω	20 000	5 000 (5 000) (Note: 6)	(see Note 14)	X X
(3)	Above 15 m and up to 24 m in height	<b>&amp;</b>	<u>~</u>	ಜ	NR	R	R ( <i>Notes</i> 15(a) and 15(b))	æ	×	100 000	10 000	(Note 10)	NR
(4)	Above 24 m and up to 30 m in height	~	~	R	NR	×	R ( <i>Notes</i> 15(a) and 15(b))	M.	R	150 000	20 000	(Note 11)	NR
(5)	Above 30 m in height	<b>~</b>	<b>~</b>	ж	NR	Z.	R ( <i>Notes</i> 15(a) and 15(b))	æ	R	200 000	20 000	(Notes 12 and 13)	NR
ME	MERCANTILE BUILDINGS (F) (Notes 3(b),8 and 22)	UILDINGS (F.	(Notes	3(b),8 aı	nd 22)								

			<del>-</del>	1	7		T
apacity nin)	Pump at the Terrace Tank Level	(14)			450	006	006
Pump Capacity	Fire Pump Near Underground Static Water Storage Tank	(13)	(21)		N R	N R	N R
Water Supply	Terrace Tank (Note 9)	(12)			\$ 000 (\$ 000) (Note 6)	20 000 (5 000) (Note 6)	25 000 (5 000) (Note 6)
Water	Underground Static Water Storage Tank Capacity for one set	(11)			X X	X X	NR
	Automatic Detection and Alarm System (Note 2)	(01)			X X	X X	N.
	Manually Operated Electronic Fire Alarm Systems (Note 1)	(6)			X.	<b>~</b>	<b>&amp;</b>
ıtion	Automatic Sprinkler System	(8)			R (Note 4)	R ( Note 4)	R (Note 4)
Type of Installation	Yard Hydrant	(2)			X X	Z Z	N N
Type	Down	(9)			Z Z	ж	~
	Wet Riser	(5)			Z R	X	Z Z
	First Aid Hose Reel	(4)			ж	×	~
	Fire Extinguisher	(3)			œ	<b>~</b>	∝ .
Type of Building	Occupancy	(2)	F-1 and F-2	Less than 15 m in height	(i) Ground plus one storey, with total of all floor area not exceeding 500 m <sup>2</sup>	(ii) Ground plus one storey and total of all floor area exceeding 500 m <sup>2</sup>	(iii) More than ground plus one storey
Sr. No.		$\widehat{\varepsilon}$	(a)	<b>(E)</b>			

Sr. No.	Type of Building				ا دہ ا	of Installation	tion			Water	Water Supply (in I)	Pump Capacity (in l/min)	apacity nin)
	Occupancy	Fire Extinguisher	First Aid Hose Reel	Wet Riser	Down	Yard Hydrant	Automatic Sprinkler System	Manually Operated Electronic Fire Alarm Systems	Automatic Detection and Alarm System (Note 2)	Underground Static Static Water Storage Tank Capacity for one set of pumps	Terrace Tank (Note 9)	Fire Pump Near Underground Static Water Storage Tank	Pump at the Terrace Tank Level
$\varepsilon$	(2)	(3)	(4)	(5)	(9)	(2)	(8)	(6)	(10)	(11)	(12)	(13)	(14)
3	Above 15 m but not exceeding 24 m in height	м М	<b>~</b>	<b>x</b>	NR.	NR	R ( <i>Notes</i> 15(a) and 15(b)	ጸ	x.	100 000	10 000	(Note 10)	Z Z
9	Above 24 m but not exceeding 30 m in height	×	~	<b>x</b>	NR.	<u>د</u>	R ( <i>Notes</i> 15(a) and 15(b)	Я	Ж	200 000	20 000	(Note 11)	NR ·
<b>(((((((((((((</b>	Undergrou nd shopping complex (F-	æ	M.	<del>α</del>	A A	<b>~</b>	R ( <i>Notes</i> 15(a) and 15(b))	<b>~</b>	ж	150 000	10 000	(Note 11)	N N
S	INDUSTRIAL BUILDINGS (G) (Notes 8 and 22)	ILDINGS (G) (	(Notes 8	and 22)									
(a)	Low Hazard (G- 1) (Notes 3(c), 16(a) and 16(b))									·			

	Sr. No.	Type of Building				Type	Type of Installation	tion			Wate	Water Supply	D dund	Pump Capacity
Company   Comp		Osomoonoo	Circ	T.	AV.							- 1	/ <b>u</b> )	mın)
Cartingualistic   Act		Occupancy	Fire	FIEST	M et	Down	Yard	Automatic	Manually	Automatic	Under-	Теггасе	Fire Pump	Pump at the
C2			Exunguisher	Ald	KISEL	Comer	Hydrant	Sprinkler	Operated	Detection	ground	Tank	Near	Тегтасе
Compact   Comp				2000				System	Electronic	and Alarm	Static		Underground	Tank Level
Compact   Comp				Keel					Fire	System	Water		Static Water	
C2							***************************************		Alarm		Storage		Storage Tank	
(i) R N NR NR NR NR NR NR NR NR NR NR NR NR									Systems		Tank		ò	
(i) Aggregate building exceeding SOOMZ but and another largest									,		Capacity			
(i) R NR									(Note 1)	(Note 2)	for one set	(Note 9)		
(i) R NR											of pumps	(		
R NR NR NR NR 10000 NR NR NR NR NR 10000 NR NR NR NR NR NR NR 25000 (Note 17)	0	(2)	(3)	(4)	(5)	(9)	(7)	(8)	(6)	(01)	(11)	(12)	(13)	(14)
R NR NR NR NR NR 25000 (Note 17)		<u> </u>	æ	NR	NR	R.	NR.	NR	NR	NR			dIN	MD
R NR NR NR NR 25000 (Note 17)		Aggregate								,	•			441
R NR NR NR NR NR NR 25000 (Note 17)		floor area of												
R R NR NR NR NR NR 25000 (Note 17)		the largest												
R R NR NR NR NR 25000 (Note 17)		building			•									
R R NR NR NR NR 25000 (Note 17)		within the												
R NR NR NR NR NR 25000 (Note 17)		plot upto												
R NR NR NR NR 25000 (Note 17)		\$00M2												
		(ii)	×	2	NR	NR.	8	NR	NR	NR	25	000	(Note 17)	N.
floor area of the largest building exceeding 500M2 but within 2000M2		Aggregate								!	Ì	) )	(11 210.1)	VIVI
the largest building exceeding 500M2 but within 2000M2		floor area of				ŧ.		-		٠				•
building exceeding 500M2 but within 2000M2		the largest												
exceeding 500M2 but within 2000M2		building											******	
500M2 but within 2000M2		exceeding												
within 2000M2		500M2 but												
2000M2		within												
		2000M2												
	-									•				

1	Type of Building			-	ا ده	of Installation	tion			Water (ii	Water Supply (in 1)	Pump Capacity (in I/min)	apacity nin)
Ŏ	Occupancy	Fire Extinguisher	First Aid Hose Reel	Wet Riser	Down	Yard Hydrant	Automatic Sprinkler System	Manually Operated Electronic Fire Alarm Systems	Automatic Detection and Alarm System (Note 2)	Underground Static Water Storage Tank Capacity for one set	Terrace Tank (Note 9)	Fire Pump Near Underground Static Water Storage Tank	Pump at the Terrace Tank Level
_	(2)	(3)	(4)	(5)	(9)	0	(8)	6)	(10)	(II)	(12)	(13)	(14)
N K D K O C D X O	Aggregate floor area of the largest building within the plot exceeding 2000M2 but within		د	~	NR N	ĸ	Z Z	ч	X Z	20	20000	(Note 17)	X X
Q A ⊏ ₽ ₽ ≥ ₽ Y	Aggregate floor area of the largest building within the plot exceeds 5000 M2	æ	ж					(Notes	(Notes 18, 19, 21(a) and 21 (b))	and 21 (b))			
N H U W B	Moderate Hazard (G- 2) (Notes 3(c), 16(a) and 16(b))												

S. So.	Type of Building				Type (	of Installation	tion			Water	Water Supply	Pump Capacity	apacity
	Occupancy	Fire Extinguisher	First Aid Hose Reel	Wet Riser	Down	Yard Hydrant	Automatic Sprinkler System	Manually Operated Electronic Fire Alarm Systems	Automatic Detection and Alarm System	Under- ground Static Water Storage Tank Capacity	Tank Tank	Fire Pump Pu Near Ta Underground Ta Static Water Storage Tank	Pump at the Tetrace Tank Level
(1)	(2)	(3)	(4)	(5)	(9)	(2)	8)	(6)	(10)	of pumps	(77)	(13)	(14)
	(i) Aggregate floor area of the largest building within the plot upto 1000M2		x	X X	N N	×	Z Z	Z	Z Z		20000	(Note 14)	NR NR
	Aggregate floor area of the largest building within the plot exceeding 1000M2 but within 2000M2	~	≃	~	NR.	₩.	Z Z	M.	۳ ک	7.5	75000	(Note 14)	ZA ZA

Sr. No.	Type of Building				Type	of Installation	ıtion			Water (i	Water Supply (in 1)	Pump Capacity (in I/min)	apacity nin)
	Occupancy	Fire Extinguisher	First Aid Hose Reel	Wet Riser	Down	Yard Hydrant	Automatic Sprinkler System	Manually Operated Electronic Fire Alarm Systems	Automatic Detection and Alarm System (Note 2)	Under- ground Static Water Storage Tank Capacity for one set of pumps	Terrace Tank (Note 9)	Fire Pump Near Underground Static Water Storage Tank	Pump at the Terrace Tank Level
(i)	(2)	(3)	(4)	(5)	(9)	(2)	(8)	(6)	(01)	(II)	(12)	(13)	(14)
	Aggregate floor area of the largest building within the plot exceeding 2000M2	<b>~</b> .	Ж					(Non	( <i>Notes</i> 18, 19, 21a and 21b)	and 21b)	,		
(2)	High Hazard (G-3) (Notes 3(a) and 16(c))	M.	<b>x</b>					(Non	( <i>Notes</i> 18, 19, 21a and 21b)	1 and 21b)			
STO	STORAGE BUILDINGS (H) (see note 3c, 3d, 3g and 3h)	INGS (H) (see	note 3c	, 3d, 3ga	md 3h)								
(1)	Below 15 meter in height and covered area less than 1000 m <sup>2</sup>	м.	ж .	<u>ح</u>	N N	N R	R (Note 4)	NR	N	50000	X	(Note 14)	X X

ity	Pump at the Terrace Tank Level	(14)	(4)				Version and the second
Pump Capacity (in I/min)	Fire Pump Pur Near Tan Tan Static Water Storage Tank	(13)					
Water Supply	Tank Tank (Note 9)	(12)					
Wate	Under- ground Static Water Storage Tank Capacity for one set	(11)			) and 21(b)		
	Automatic Detection and Alarm System (Note 2)	(01)			( <i>Notes</i> 18, 19, 21(a) and 21(b)		
	Manually Operated Electronic Fire Alarm Systems	(6)			(Note:		
ıtion	Automatic Sprinkler System	(8)					
of Installation	Yard Hydrant	(2)					
Type	Down	(9)					
	Wet Riser	(5)					
	First Aid Hose Reel	(4)		R	×	<b>x</b>	<b>x</b>
	Fire Extinguisher	(3)		R	ج	<u>~</u>	×
Type of Building	Occupancy	(2)	Below 15 meter in height and covered area more than	I. Ground floor only	II. Ground plus one floor	II. More than ground plus one floor	Above 15 m in height but not exceeding 24 m (see
Sr. No.		(I)	(2)				(3)

Sr.	Type of Building				Type o	of Installation	tion			Water (i)	Water Supply (in I)	Pump Capacity (in I/min)	apacity min)
	Occupancy	Fire Extinguisher	First Aid Hose Reel	Wet Riser	Down	Yard Hydrant	Automatic Sprinkler System	Manually Operated Electronic Fire Alarm Systems	Automatic Detection and Alarm System (Note 2)	Underground Static Water Storage Tank Capacity for one set	Terrace Fank (Note 9)	Fire Pump Near Underground Static Water Storage Tank	Pump at the Terrace Tank Level
(i)	(2)	(3)	(4)	(5)	(9)	(2)	(8)	(6)	(01)	(11)	(12)	(13)	(14)
(4)	Multi-Level Car Parking (MLCP) (see Note 3(d)	~	~	<b>&amp;</b>	X X	~	R (Notes15(a) and 15(b)	×	N.	150 000	N N	(Note 11)	NR
(5)	Mechanized Parking (automated) (see note 3(h))	~	<u>~</u>	N R	X X	~	R (see note 7)	N.	<sub>α</sub>	50000	X X	(Note 14)	NR
(1)	HAZARDOUS BUILDINGS (J) (Note 3a)  (1) Up to 15 m R R  in height	LDINGS (J) (J	Note 3a					(Notes 1	(Notes 18, 19, 20, 21(a) and 21(b)	(a) and 21(b)			

R-Required NR-Not Required

Notes	Requirements
<del>  -</del>	Manually Operated Electronic Fire Alarm System (MOEFA) System shall also include talk-back system and public address system in all buildings 15m and above in height, except for A-3 and A-4 occupancies where these shall be provided for buildings for height 24m and above. These shall also be provided in car parking areas more than 300 m <sup>2</sup> and in multi-level car parking irrespective of their areas.
2.	Automatic detection and alarm system is not required to be provided in car parking area. Such detection system shall however be required in other areas of car

	parking such as electrical rooms, cabins and other storage areas.
3(a).	Buildings above 15 m in height are not to be permitted for occupancy Group J.
3(b).	Buildings above 30 m in height not to be permitted for Group C-2 and C-3, Group D and Group F occupancies.
3(c).	Building above 24 m in height not to be permitted for Group G (unless required for process purpose) and for Group H.
3(d).	Buildings above 45 m in height are not to be permitted for occupancies Group A-1 and A-2, Group B and Group H-4 (MLCP).
3(e).	Building above 45m in height may be permitted for Group C-1 occupancies, provided it complies or, is in consonance with the parameters laid down from time to time, by the National Fire Protection Association (U.S.A.) in respect of such occupancy.
3(f)·	Only the building meant for educational purpose for higher secondary education and above and like shall be permitted above 30 m subject to availability of local firefighting facilities.
3(g).	Storage building may be permitted above 15 m and not exceeding 24 m subject to availability of local firefighting facilities.
3(h)·	Automated Mechanized car parking or any such other structure used for utilities purpose such as storage of DG sets, not to be permitted above 100 meter or the maximum height permissible, whichever is less, as specified under building by-laws; subject to availability of local fire fighting facilities. If these structure are attached to the building, then said wall shall be dead wall with two hours fire resistant.
4	Required to be installed in basement, if area thereof exceeds 200 m <sup>2</sup> .
5.	Required to be provided if basement area exceeds 200 m <sup>2</sup> .
9	Additional value given in parenthesis shall be added if basement area exceeds 200 m <sup>2</sup> .
7.	Required to be provided for buildings with more than two storeys (Ground + one).
∞	In case, the complex consists of building(s) with occupancies having different classifications, fire protection systems shall be governed by the most restrictive provisions of the National Building code of India among those applicable for individual occupancies.
6	Overhead tank of specified capacity (along with Terrace pump if applicable) as indicated under respective items in the table shall be provided for each building/tower. Whether the building(s)/tower(s) are situated attached or detached. Further the Tanks shall be connected to sprinkler systems, down comers and hose reels either directly or through terrace pumps as applicable in the table.
10.	One set of pumps shall be provided for each 100 hydrants or part thereof, with a maximum of two sets on same underground water tank. In this case, one set consisting of one electrically driven pump, one diesel driven standby pump (having a capacity of 2280 LPM) and one electrical driven Jockey pump (having a capacity of 180 LPM) shall be provided).
11.	One set of pumps shall be provided for each 100 hydrants or part thereof, with a maximum of two sets on same underground water tank. In this case, one set consisting of two electrically driven pumps (one each for Hydrant and sprinkler systems), having a capacity of 2280 LPM. One diesel driven common standby pump (having a capacity of 2280 LPM) and two electrically driven Jockey pump (having a capacity of 180 LPM, one each for Hydrant and sprinkler systems)

	shall be provided.
12.	One set of pumps shall be provided for each 100 hydrants or part thereof, with a maximum of two sets on same underground water tank. In this case, one set consisting of two electrically driven pumps (one each for Hydrant and sprinkler systems), having a capacity of 2850 LPM. One diesel driven common standby pump (having a capacity of 2850 LPM) and two electrically driven Jockey pump (having a capacity of 180 LPM, one each for Hydrant and sprinkler systems) shall be provided.
13.	Lower levels in high rise buildings 60 m or above in height are likely to experience high pressure and therefore, it is necessary to consider multi-stage, multi-outlet pumps (creating pressure zones) or installation of pumps at one or more levels or variable frequency drive pumps or any other equivalent arrangement.
4.	One set of pumps shall be provided for each 100 hydrants or part thereof, with a maximum of two sets on same underground water tank. In this case, one set consisting of one electrically driven pump, one diesel driven standby pump (having a capacity of 1620 LPM) and one electrical driven Jockey pump (having a capacity of 180 LPM) shall be provided).
15(a).	Sprinklers shall be fed water from both underground static water storage tank and terrace tank when both are prescribed in the Table.
15(b).	Entire building(s) i.e. Common areas as well as Livable areas within shall be protected as per relevant Indian standards for automatic sprinkler system.
16(a).	Those industries which were defined or licensed as "Artisans workshops, Village and Cottage Industries, Tiny sector industries" by the Government of India shall need to provide only Extinguishers and Fire Buckets, their quantity and distribution shall comply with relevant Indian standards.
16(b).	Multiple Industrial occupancies in Industrial building (all in one building) shall be protected according to the requirements for "Moderate" hazard industries. No high hazard occupancies shall be allowed in such buildings.
16(c).	In case of high hazard industries like Petrochemical industries, Refineries and the like, in addition to compliance of requirements of above Table, compliance to statutory requirements like Oil Industries Safety Directorate and the like are mandatory.
17.	Entire occupancy shall be protected by one electric driven main pump of at least 900 LPM discharge capacity, one standby pump of similar capacity (with reliable back-up supply) and one jockey pump of capacity of at least 180 LPM.
<u>8.</u>	Entire occupancy shall be protected by hydrant, sprinkler, water spray, water mist, Gas based System, foam, fire alarm systems etc. as applicable in accordance with relevant Indian Standard Codes in all respects that include design and installation of pumps, pipelines etc See note 19 and 21 below.
19.	Certain occupancies may also be protected by Automatic water mist systems with appropriate (pressure) applications if such systems are evaluated/certified by recognised National/International agencies for such occupancies. Installation and design of such systems, besides complying with various provisions of Indian Standard – 15519, shall be as per manufacturers specifications, complying with test conditions and the same shall have acceptance of the authorities concerned. Extrapolation of test results shall not be allowed to provide protection to larger areas unless specifically permitted by the reputed testing agencies.
20.	Pump capacity for hydrant system shall be based on the covered area of the buildings i.e for area upto 500M2 pumping should be @ 2.0 LPM/M2, for areas greater than 500M2 but upto 1000M2, pumping should be @ 2.5 LPM/M2. Areas more than 1000M2 are not acceptable unless there are fire separations equivalent to two hours. Entire hydrant and sprinkler systems shall be designed as per the relevant IS standards. See Notes 18, 19 and 21(a) and 21(b).
21(a).	For all occupancies under classifications A to J, pumping capacities and water requirements shall need to be provided wherever indicated in respective columns and <i>Notes</i> in the above Table. However, where pumping capacities and whatever requirements are not indicated in the respective columns, reference shall be

		made to the concerned Indian Standard (IS) Codes of practices for Hydrant/Sprinkler/Water spray etc. for details. In either case, Design and installation of systems like hydrant, sprinkler, spray systems etc. shall strictly be carried out as per provisions in respective Code of practices like IS-13039, IS-15105, IS-15325 etc.
100	21(b).	Where application of water as extinguishing medium is not appropriate due to the presence of water reactive materials or other valid acceptable reasons, a suitable alternative extinguishing system and method shall be provided in consultation with the appropriate authorities. Protection methods suggested shall be in compliance with relevant Indian Standards in all respects. Other types of systems for fire alarms, Gas based Systems, etc. shall also be designed and installed as per relevant Indian standards in all respects.
	22.	As per the requirement of local authority dry riser may be used in hilly areas, industrial areas or as required.

## SCHEDULE II

(See section 11)

Fire and Emergency Service Fee Structure

1. The Fire and Emergency Service Fee shall be levied as indicated in TABLE given below as per square meter of the built up area for the various categories of the building in accordance to percentage of the Annual Statements of Rates (ASR) as published under the provisions of the Maharashtra Stamp (Determination of True Market Value of Property) Rules, 1995 made under the Maharashtra Stamp Act (LX of 1958).

## **TABLE**

Sr.	Height of the	Percentage of	the Annual	Statement of	Rates (ASR)
No.	Building in meters				
		Residential	Institutional	Commercial	Industrial
1	Building upto 45 m	0.25%	0.50%	0.75%	0.75%
2	Building above 45m	0.50%	0.75%	1.00%	1.00%

- 2. The categorization of the occupancies in paragraph 1 above shall be as categorized in Part 4 of the National Building Code of India, regarding Fire and Life Safety, which are as follows:—
  - (a) "Residential Building" means Residential Occupancies as mentioned in Group A of Part 4 of the said Code except Sub-Groups A-5 and A-6 thereof, viz. Lodging, Boarding, Dormitories, Apartment, Multi-level car parking and Mechanized Automated Car Parking.
  - (b) "Institutional Building" means Educational Occupancies as mentioned in Group B of Part 4 of the said Code and Institutional Occupancies in Group C of Part 4 of the said Code, viz. School, College, University, Hospital, Nursing Home, etc.
  - (c) "Commercial Building" means Occupancies as mentioned in Sub-Groups A-5 and A-6 of Part 4 of the said Code and Assembly Occupancies in Group D of Part 4 of the said Code, Business Occupancies in Group E of Part 4 of the said Code and Mercantile Occupancies in Group F of Part 4 of the said Code, viz. Hotels, Eateries, Malls, Multiplex, Theatres, Shops, etc.
  - (d) "Industrial Building" means Industrial Occupancies as mentioned in Group G of Part 4 of the said Code, Storage Occupancies in Group H of Part 4 of the said Code (excluding Multi-level car parking) and Hazardous Occupancies in Group J of Part 4 of the said Code.

Notes:—The fee for the above classification of the building shall be calculated as under:—

- 1. The fee after computing the necessary percentage of the ASR shall be multiplied by the built up area of the building under consideration for necessary approval.
- 2. For the purposes of assessment of fee, the built-up area shall be gross built-up area, which includes area of basement, easements, stilts, podium, stair-cases, lifts, lobbies, passages, balconies, cantilever portions, service floors, refuge areas, etc., as shown in the building plan certified by the Architect and submitted to the Authority alongwith the application for permission for construction of a building. The built-up area to be calculated for this purpose will have no relation with the floor space index or the built-up area calculated in any other manner.
- 3. The fees to be calculated shall be taken from lowest level to the last livable floors and not slab-wise while determining height of the building as indicated in TABLE.
- 4. For the purposes of assessment of fee, the Annual Statement of Rates published under the provisions of the Bombay Stamp (Determination of True Market Value of Property) Rules, 1995 are the building construction rates issued by the Department of Registration and Stamps, Government of Maharashtra.
- 5. No fee shall be levied for the building identified as Sub-Groups A-2 and A-4 below 15 meters occupancies as per Part 4 of the National Building Code of India, Part 4 and for all those buildings identified in section 15 of the Act.".

(c) in PART-III, under the heading "INSTITUTIONAL BUILDINGS (C)", under sub-heading "(a) Hospitals, Sanatoria and Nursing Homes (C-1)", after entry (3), the following entries shall be inserted, namely:—

"(4)	Above 30m and not exceeding 45m in height	17.00	1,50,000	14.00	80,000
(5)	Above 45m in height	20.00	2,00,000	16.00	1,00,000.".